

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 1 - Rasmussen, Christian (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	5.0426	4.0403	4.4925	4.2251	3.9443	4.9221	4.5029	4.1093	35.2791	67.3280
	S	115.065	107.328	115.951	134.747	144.512	134.228	130.522	140.535	127.554	59.434
2	T	3.9738	3.3541	4.3349	4.2554	4.0246	4.8035	4.4058	4.0486	33.2007	
	S	146.013	129.285	120.166	133.787	141.629	137.542	133.399	142.642	135.539	
3	T	3.8855	3.4202	4.3123	4.2278	4.0324	4.7043	4.4085	4.0297	33.0207	
	S	149.331	126.787	120.796	134.661	141.355	140.442	133.317	143.311	136.278	
4	T	3.8559	3.3549	4.4141	4.2972	4.0406	4.6970	4.4640	4.0603	33.1840	
	S	150.478	129.255	118.010	132.486	141.068	140.660	131.659	142.231	135.608	
5	T	3.8905	3.2762	4.2446	4.2332	4.0066	4.7469	4.4787	4.1322	33.0089	
	S	149.140	132.360	122.723	134.489	142.265	139.182	131.227	139.756	136.327	
6	T	3.9506	3.2960	4.2300	4.2115	4.0226	4.7112	4.4189	4.0622	32.9030	
	S	146.871	131.564	123.146	135.182	141.699	140.236	133.003	142.164	136.766	
7	T	3.8911	3.2918	4.2013	4.7403	5.5221	6.8276	6.8968	6.9990	42.3700	
	S	149.117	131.732	123.988	120.102	103.222	96.766	85.217	82.512	106.207	
8	T	7.6680	7.3122	8.8059	9.5084	9.5202	8.5450	7.7878	8.9355	68.0830	
	S	75.669	59.303	59.155	59.875	59.873	77.318	75.468	64.630	66.096	
9	T	8.6268	6.9373	10.3144	10.1119	9.5879	9.3055	9.2666	8.3211	72.4715	
	S	67.259	62.508	50.503	56.302	59.450	70.999	63.424	69.402	62.093	
10	T	8.3201	7.3484	10.6950	10.1201	8.7880	9.6234	8.4878	8.1138	71.4966	
	S	69.738	59.011	48.706	56.256	64.861	68.654	69.244	71.175	62.940	
11	T	9.1980	7.6899	9.6026	9.8231	9.8604	9.4140	8.9340	8.4199	72.9419	
	S	63.082	56.390	54.247	57.957	57.807	70.181	65.785	68.588	61.693	
12	T				10.0762	11.0428	9.8939	7.5024	8.2323	72.5942	
	S				56.501	51.617	66.777	78.339	70.151	61.988	
13	T	8.4006			11.2292	9.6234	8.3754	8.1079	8.9232	69.7621	
	S	69.070			50.700	59.231	78.884	72.488	64.719	64.505	
14	T	9.1152			8.8728	10.1212	9.3770	7.9317	8.1150	70.6122	
	S	63.655			64.164	56.317	70.458	74.099	71.165	63.728	
15	T	9.1846			8.9582	10.1580	9.0092	8.0805	9.4807	71.8305	
	S	63.174			63.553	56.113	73.334	72.734	60.913	62.647	
16	T	9.1037			9.2518	9.0758	9.0225	8.9150	9.2893	70.2338	
	S	63.735			61.536	62.804	73.226	65.926	62.168	64.072	
17	T	8.9792			9.7229	8.7278	9.1361	8.7428	8.6095	70.3116	
	S	64.619			58.554	65.309	72.316	67.224	67.077	64.001	
18	T	9.2523	6.5132	9.9379	9.6429	8.7906	9.6652	8.0905	8.5358	70.4284	
	S	62.712	66.578	52.416	59.040	64.842	68.357	72.644	67.656	63.895	
19	T	9.0962	6.6629	7.4543	8.8941	8.4849	10.1249	8.5649	5.0753	64.3575	
	S	63.788	65.082	69.880	64.011	67.178	65.253	68.620	113.786	69.922	

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 1 - Rasmussen, Christian (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	4.2723	3.6209	4.4564	4.2783	4.0433	4.7920	4.3895	4.1047	33.9574
	S	135.811	119.759	116.890	133.071	140.974	137.872	133.894	140.692	132.519
21	T	3.9372	3.3751	4.2290	4.2169	4.0441	4.6754	4.3312	4.0417	32.8506
	S	147.371	128.481	123.175	135.009	140.946	141.310	135.696	142.885	136.984
22	T	3.8949	3.3484	4.3656	4.2683	4.0495	4.6781	4.3004	4.0288	32.9340
	S	148.971	129.506	119.321	133.383	140.758	141.229	136.668	143.343	136.637
23	T	3.8926	3.3593	4.2891	4.2321	4.0579	4.6803	4.3115	4.0281	32.8509
	S	149.059	129.085	121.450	134.524	140.467	141.162	136.316	143.368	136.983
24	T	3.8995	3.3397	4.1966	4.2147	4.0469	4.6696	4.2901	4.0188	32.6759
	S	148.795	129.843	124.126	135.079	140.849	141.486	136.996	143.700	137.716
25	T	3.8866	3.3055	4.1822	4.2067	4.0363	4.6555	4.2791	4.0326	32.5845
	S	149.289	131.186	124.554	135.336	141.218	141.914	137.348	143.208	138.102
26	T	3.8988	3.2938	4.1822	4.2110	4.0277	4.6424	4.2692	4.0209	32.5460
	S	148.822	131.652	124.554	135.198	141.520	142.315	137.667	143.625	138.266
27	T	3.8941	3.3110	4.1776	4.1949	4.0222	4.6346	4.2622	4.0158	32.5124
	S	149.002	130.968	124.691	135.717	141.713	142.554	137.893	143.807	138.409
28	T	3.8909	3.3059	4.1646	4.1665	4.0097	4.6142	4.2612	3.9941	32.4071
	S	149.124	131.170	125.080	136.642	142.155	143.184	137.925	144.588	138.858
29	T	3.8730	3.3102	4.1584	4.1661	3.9961	4.6118	4.2687	3.9763	32.3606
	S	149.813	131.000	125.267	136.655	142.639	143.259	137.683	145.236	139.058
30	T	3.8505	3.3276	4.2723	4.2067	4.0021	4.6435	4.3354	4.0093	32.6474
	S	150.689	130.315	121.927	135.336	142.425	142.281	135.565	144.040	137.836
31	T	3.8664	3.3552	4.1981	4.1729	3.9809	4.6474	4.2515	3.9739	32.4463
	S	150.069	129.243	124.082	136.432	143.184	142.162	138.240	145.323	138.691
32	T	3.8122	3.3471	4.3226	4.2298	4.0117	4.7050	4.2974	3.9850	32.7108
	S	152.203	129.556	120.508	134.597	142.084	140.421	136.763	144.918	137.569
33	T	3.8455	3.3619	4.2612	4.1920	4.0112	4.6447	4.2596	3.9695	32.5456
	S	150.885	128.986	122.245	135.811	142.102	142.244	137.977	145.484	138.268
34	T	3.8429	3.3309	4.2339	4.1804	3.9980	4.6198	4.2771	3.9726	32.4556
	S	150.987	130.186	123.033	136.187	142.571	143.011	137.413	145.371	138.651
35	T	3.8346	3.2764	4.2841	4.2252	4.0228	4.6336	4.2378	3.9680	32.4825
	S	151.314	132.351	121.591	134.743	141.692	142.585	138.687	145.539	138.536
36	T	3.8365	3.3336	4.3059	4.2084	4.0189	4.6374	4.2402	3.9612	32.5421
	S	151.239	130.081	120.976	135.281	141.830	142.468	138.608	145.789	138.282
37	T	3.8403	3.3843	4.2392	4.1993	4.0089	4.6456	4.3496	4.0122	32.6794
	S	151.089	128.132	122.879	135.575	142.184	142.217	135.122	143.936	137.701
38	T	3.8687	3.3085	4.3195	4.2159	4.0219	4.6718	4.2463	3.9874	32.6400
	S	149.980	131.067	120.595	135.041	141.724	141.419	138.409	144.831	137.868

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 1 - Rasmussen, Christian (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.8596	3.2821	4.1968	4.1877	4.0134	4.6357	4.2333	3.9586	32.3672
	S	150.334	132.122	124.121	135.950	142.024	142.520	138.834	145.885	139.030
40	T	3.8330	3.3012	4.2499	4.1985	4.0149	4.6330	4.2628	3.9641	32.4574
	S	151.377	131.357	122.570	135.600	141.971	142.603	137.874	145.683	138.643
41	T	3.8335	3.2813	4.2426	4.2169	4.0171	4.6837	4.2479	3.9571	32.4801
	S	151.357	132.154	122.781	135.009	141.893	141.060	138.357	145.940	138.546
42	T	3.8270	3.4300	4.2936	4.2404	4.0407	4.6677	4.2399	3.9685	32.7078
	S	151.614	126.425	121.322	134.260	141.065	141.543	138.618	145.521	137.582
43	T	3.8428	3.2874	4.1738	4.1918	4.0256	4.6443	4.2335	3.9751	32.3743
	S	150.991	131.909	124.805	135.817	141.594	142.256	138.828	145.279	138.999
44	T	3.8609	3.2713	4.1718	4.1721	3.9938	4.6341	4.2452	3.9663	32.3155
	S	150.283	132.558	124.864	136.458	142.721	142.570	138.445	145.602	139.252
45	T	3.8280	3.3316	4.2857	4.2223	4.0186	4.6426	4.2581	3.9753	32.5622
	S	151.575	130.159	121.546	134.836	141.840	142.309	138.026	145.272	138.197
46	T	3.8398	3.3196	4.2241	4.2132	4.0145	4.6304	4.2313	3.9721	32.4450
	S	151.109	130.629	123.318	135.127	141.985	142.684	138.900	145.389	138.696
47	T	3.8410	3.2768	4.2996	4.2302	4.0340	4.6583	4.2418	3.9932	32.5749
	S	151.062	132.335	121.153	134.584	141.299	141.829	138.556	144.621	138.143
48	T	3.8609	3.2727	4.1610	4.1759	4.0221	4.6539	4.2571	3.9819	32.3855
	S	150.283	132.501	125.188	136.334	141.717	141.963	138.058	145.031	138.951
49	T	3.8451	3.2909	4.1786	4.1814	4.0208	4.6626	4.2515	3.9702	32.4011
	S	150.900	131.768	124.661	136.155	141.763	141.698	138.240	145.459	138.884
50	T	3.8334	3.2760	4.2146	4.2039	4.0152	4.6496	4.2673	3.9793	32.4393
	S	151.361	132.368	123.596	135.426	141.961	142.094	137.728	145.126	138.721
51	T	3.8322	3.2896	4.2150	4.1966	4.0129	4.6314	4.2361	3.9518	32.3656
	S	151.408	131.820	123.585	135.662	142.042	142.653	138.743	146.136	139.037
52	T	3.8083	3.3186	4.5262	4.3336	4.0653	4.6684	4.2455	3.9893	32.9552
	S	152.359	130.668	115.088	131.373	140.211	141.522	138.435	144.762	136.549
53	T	3.8652	3.3124	4.1677	4.1972	4.0265	4.6517	4.2334	3.9991	32.4532
	S	150.116	130.913	124.987	135.642	141.562	142.030	138.831	144.407	138.661
54	T	3.8696	3.2947	4.1542	4.1824	4.0315	4.6572	4.2438	4.0009	32.4343
	S	149.945	131.616	125.393	136.122	141.387	141.862	138.491	144.343	138.742
55	T	3.8607	3.2869	4.1338	4.1695	4.0279	4.6564	4.2349	3.9830	32.3531
	S	150.291	131.929	126.012	136.544	141.513	141.887	138.782	144.991	139.090
56	T	4.5158	4.6864	5.7766	6.2159	7.1913				
	S	128.488	92.531	90.176	91.591	79.262				

Event: Cooper Tires Indy Pro 2000 of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 13
1.25 mile(s)



Indy Pro 2000 Championship
August 21, 2021

Section Data for Car 18 - McElrea, Hunter

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.9685	3.6737	4.5395	4.4452	4.1554	5.2131	4.5565	4.0614	35.6133	68.9703
	S	116.781	118.038	114.750	128.075	137.171	126.735	128.987	142.192	126.357	58.019
2	T	3.8951	3.4324	4.4341	4.2176	3.9827	4.9216	4.4505	4.0795	33.4135	
	S	148.963	126.336	117.478	134.986	143.119	134.241	132.059	141.561	134.676	
3	T	3.9135	3.3591	4.2314	4.2316	4.0100	4.8316	4.4076	4.0860	33.0708	
	S	148.263	129.093	123.106	134.540	142.145	136.742	133.344	141.336	136.072	
4	T	3.9157	3.3393	4.5296	4.3820	4.0927	4.7943	4.4062	4.0814	33.5412	
	S	148.180	129.858	115.001	129.922	139.272	137.806	133.386	141.496	134.163	
5	T	3.9359	3.3545	4.1937	4.2419	4.0651	4.7285	4.3478	4.0376	32.9050	
	S	147.419	129.270	124.212	134.213	140.218	139.723	135.178	143.031	136.757	
6	T	3.9209	3.3227	4.1735	4.2290	4.0524	4.7587	4.3852	4.0748	32.9172	
	S	147.983	130.507	124.813	134.622	140.657	138.837	134.025	141.725	136.707	
7	T	3.9374	3.3091	4.1674	4.4792	5.6629	6.6880	6.9420	7.0876	42.2736	
	S	147.363	131.044	124.996	127.103	100.655	98.786	84.663	81.480	106.449	
8	T	7.7732	7.1279	8.9198	9.5964	9.4100	8.5248	7.8919	8.9505	68.1945	
	S	74.645	60.836	58.399	59.326	60.574	77.501	74.472	64.522	65.988	
9	T	8.9203	7.1142	9.6917	10.1600	9.6706	10.0848	8.7565	8.0176	72.4157	
	S	65.046	60.954	53.748	56.035	58.942	65.513	67.119	72.029	62.141	
10	T	8.5114	7.1159	10.7593	10.1803	8.8871	9.5793	8.4116	8.4809	71.9258	
	S	68.171	60.939	48.415	55.924	64.138	68.970	69.871	68.094	62.564	
11	T	9.2534	7.1515	9.6111	9.8308	9.8544	9.6254	8.8725	8.7056	72.9047	
	S	62.704	60.636	54.199	57.912	57.842	68.639	66.241	66.337	61.724	
12	T				9.9341	11.2827	10.2999	7.3867	8.4494	72.9398	
	S				57.309	50.520	64.144	79.566	68.348	61.695	
13	T	9.1432			10.1867	9.9791	9.2780	7.8439	8.5676	69.6817	
	S	63.460			55.888	57.119	71.210	74.928	67.405	64.579	
14	T	9.8642			8.6211	10.3226	10.9929	7.4388	8.3767	71.7913	
	S	58.822			66.038	55.219	60.101	79.008	68.941	62.682	
15	T	9.8300			8.6936	9.5281	9.9499	7.9997	8.0881	70.3886	
	S	59.026			65.487	59.823	66.401	73.469	71.401	63.931	
16	T	9.6979			8.4308	8.7048	9.9141	8.4215	9.6821	70.7687	
	S	59.830			67.528	65.481	66.641	69.789	59.646	63.587	
17	T	9.6095			8.6302	8.7420	9.3432	8.3138	8.6512	69.6544	
	S	60.381			65.968	65.202	70.713	70.693	66.754	64.605	
18	T	9.8926	6.3930	9.4736	10.5289	8.0991	9.9532	7.5427	9.7508	71.6339	
	S	58.653	67.830	54.985	54.072	70.378	66.379	77.920	59.226	62.819	
19	T	8.2901	6.2203	7.1832	8.7283	8.5622	9.9201	8.5346	5.1269	62.5657	
	S	69.990	69.713	72.518	65.227	66.572	66.600	68.864	112.641	71.924	

Event: Cooper Tires Indy Pro 2000 of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 13
1.25 mile(s)



Indy Pro 2000 Championship
August 21, 2021

Section Data for Car 18 - McElrea, Hunter

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	4.3129	3.5688	4.3937	4.2539	3.9952	4.8280	4.4805	4.0786	33.9116
	S	134.533	121.508	118.558	133.834	142.671	136.844	131.174	141.593	132.698
21	T	3.9122	3.3797	4.2884	4.2295	4.0053	4.7302	4.4273	4.0613	33.0339
	S	148.312	128.306	121.469	134.606	142.311	139.673	132.751	142.196	136.224
22	T	3.9274	3.3402	4.2084	4.2129	3.9860	4.7473	4.4095	4.0489	32.8806
	S	147.738	129.823	123.778	135.137	143.001	139.170	133.287	142.631	136.859
23	T	3.9063	3.3235	4.1589	4.1902	3.9716	4.8173	4.4213	4.0599	32.8490
	S	148.536	130.476	125.252	135.869	143.519	137.148	132.931	142.245	136.990
24	T	3.9121	3.3114	4.1977	4.2183	4.0080	4.7346	4.4517	4.0882	32.9220
	S	148.316	130.953	124.094	134.964	142.216	139.543	132.023	141.260	136.687
25	T	3.9203	3.2684	4.1775	4.2181	4.0178	4.6782	4.3336	4.0396	32.6535
	S	148.006	132.675	124.694	134.970	141.869	141.226	135.621	142.960	137.811
26	T	3.9004	3.2753	4.2475	4.2496	4.0354	4.6743	4.3275	4.0367	32.7467
	S	148.761	132.396	122.639	133.970	141.250	141.343	135.812	143.062	137.418
27	T	3.9060	3.2769	4.2018	4.2234	4.0356	4.7344	4.3734	4.0762	32.8277
	S	148.548	132.331	123.973	134.801	141.243	139.549	134.387	141.676	137.079
28	T	3.9347	3.3163	4.1628	4.2046	4.0331	4.6746	4.3130	4.0260	32.6651
	S	147.464	130.759	125.134	135.404	141.330	141.334	136.269	143.443	137.762
29	T	3.9058	3.2576	4.1180	4.1897	4.0286	4.6995	4.3431	4.0506	32.5929
	S	148.555	133.115	126.496	135.885	141.488	140.586	135.324	142.571	138.067
30	T	3.9173	3.2748	4.1054	4.1872	4.0276	4.6576	4.3100	4.0277	32.5076
	S	148.119	132.416	126.884	135.966	141.523	141.850	136.364	143.382	138.429
31	T	3.9090	3.2698	4.1167	4.1867	4.0262	4.7082	4.3298	4.0520	32.5984
	S	148.434	132.619	126.536	135.983	141.573	140.326	135.740	142.522	138.044
32	T	3.9197	3.2679	4.1597	4.2061	4.0362	4.7005	4.3023	4.0347	32.6271
	S	148.028	132.696	125.228	135.355	141.222	140.556	136.608	143.133	137.922
33	T	3.9204	3.2859	4.0850	4.1787	4.0200	4.6718	4.2973	4.0203	32.4794
	S	148.002	131.969	127.518	136.243	141.791	141.419	136.767	143.646	138.549
34	T	3.9002	3.2683	4.1227	4.1917	4.0299	4.6713	4.2810	4.0118	32.4769
	S	148.769	132.679	126.351	135.820	141.443	141.434	137.287	143.950	138.560
35	T	3.8996	3.2730	4.0999	4.1930	4.0405	4.6770	4.2925	4.0060	32.4815
	S	148.791	132.489	127.054	135.778	141.072	141.262	136.920	144.159	138.540
36	T	3.8949	3.2409	4.1002	4.1770	4.0231	4.6736	4.2877	4.0143	32.4117
	S	148.971	133.801	127.045	136.298	141.682	141.365	137.073	143.861	138.839
37	T	3.8938	3.2855	4.2307	4.2365	4.0468	4.7048	4.3000	4.0231	32.7212
	S	149.013	131.985	123.126	134.384	140.852	140.427	136.681	143.546	137.526
38	T	3.9011	3.2691	4.1610	4.2240	4.0398	4.6928	4.2925	4.0101	32.5904
	S	148.734	132.647	125.188	134.782	141.096	140.786	136.920	144.011	138.077

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 18 - McElrea, Hunter

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.8894	3.2705	4.1048	4.1934	4.0360	4.6963	4.2810	4.0084	32.4798
	S	149.182	132.590	126.902	135.765	141.229	140.681	137.287	144.072	138.548
40	T	3.8975	3.2911	4.0999	4.1883	4.0360	4.6968	4.2946	4.0131	32.5173
	S	148.872	131.760	127.054	135.931	141.229	140.666	136.853	143.904	138.388
41	T	3.9001	3.2688	4.1065	4.2041	4.0452	4.6948	4.2847	4.0036	32.5078
	S	148.772	132.659	126.850	135.420	140.908	140.726	137.169	144.245	138.428
42	T	3.8895	3.2046	4.1784	4.2225	4.0465	4.6980	4.2788	4.0078	32.5261
	S	149.178	135.317	124.667	134.830	140.862	140.630	137.358	144.094	138.350
43	T	3.8939	3.2366	4.0694	4.1811	4.0316	4.6839	4.2922	4.0056	32.3943
	S	149.009	133.979	128.006	136.165	141.383	141.054	136.929	144.173	138.913
44	T	3.8936	3.2661	4.1236	4.2078	4.0466	4.6975	4.2887	4.0180	32.5419
	S	149.021	132.769	126.324	135.301	140.859	140.645	137.041	143.728	138.283
45	T	3.8893	3.2282	4.1180	4.2105	4.0475	4.6970	4.2980	4.0195	32.5080
	S	149.186	134.328	126.496	135.214	140.828	140.660	136.744	143.675	138.427
46	T	3.8918	3.2330	4.1080	4.2113	4.0412	4.6772	4.3006	4.0153	32.4784
	S	149.090	134.128	126.804	135.188	141.047	141.256	136.662	143.825	138.554
47	T	3.8898	3.2579	4.1175	4.2033	4.0461	4.6940	4.2873	4.0123	32.5082
	S	149.166	133.103	126.511	135.446	140.876	140.750	137.086	143.932	138.427
48	T	3.8819	3.2215	4.1413	4.2115	4.0606	4.7165	4.3074	4.0296	32.5703
	S	149.470	134.607	125.784	135.182	140.373	140.079	136.446	143.314	138.163
49	T	3.8986	3.2415	4.1427	4.2033	4.0544	4.7223	4.3220	4.0271	32.6119
	S	148.830	133.776	125.741	135.446	140.588	139.907	135.985	143.403	137.986
50	T	3.9006	3.2455	4.0641	4.1866	4.0533	4.7120	4.3400	4.0365	32.5386
	S	148.753	133.612	128.173	135.986	140.626	140.213	135.421	143.069	138.297
51	T	3.8978	3.2381	4.1272	4.2128	4.0663	4.7240	4.3215	4.0270	32.6147
	S	148.860	133.917	126.214	135.140	140.177	139.856	136.001	143.407	137.975
52	T	3.8932	3.2734	4.1398	4.2209	4.0571	4.7043	4.3028	4.0164	32.6079
	S	149.036	132.473	125.830	134.881	140.494	140.442	136.592	143.785	138.003
53	T	3.8914	3.2443	4.0641	4.1778	4.0369	4.6918	4.3202	4.0243	32.4508
	S	149.105	133.661	128.173	136.272	141.197	140.816	136.042	143.503	138.671
54	T	3.8995	3.2696	4.0796	4.1828	4.0475	4.7039	4.3176	4.0311	32.5316
	S	148.795	132.627	127.686	136.109	140.828	140.454	136.124	143.261	138.327
55	T	3.9043	3.2703	4.0938	4.1935	4.0670	4.7287	4.3305	4.0307	32.6188
	S	148.612	132.598	127.243	135.762	140.152	139.717	135.718	143.275	137.957
56	T	4.2257	4.0717	5.8531	6.6722	7.1188				
	S	137.309	106.500	88.997	85.327	80.070				

Event: Cooper Tires Indy Pro 2000 of St. Louis**Round 13****Track:** World Wide Technology Raceway**1.25 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race**August 21, 2021****Section Data for Car 21 - Simpson, Kyffin (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.8458	4.0085	4.6767	4.3337	4.0150	5.2714	4.7031	4.2463	36.1005	62.8155
	S	119.738	108.179	111.384	131.370	141.968	125.333	124.966	136.001	124.652	63.704
2	T	4.0052	3.4825	4.2673	4.1797	3.9095	5.1915	4.7552	4.2640	34.0549	
	S	144.868	124.519	122.070	136.210	145.799	127.262	123.597	135.436	132.140	
3	T	4.0426	3.6499	4.4050	4.2468	3.9545	4.9128	4.4354	4.0363	33.6833	
	S	143.528	118.808	118.254	134.058	144.140	134.482	132.508	143.077	133.597	
4	T	3.8583	3.4027	4.2731	4.2700	4.0494	5.1096	4.6682	4.2556	33.8869	
	S	150.384	127.439	121.904	133.330	140.762	129.302	125.900	135.704	132.795	
5	T	4.0338	3.3512	4.2644	4.2499	4.0028	4.8217	4.4486	4.0383	33.2107	
	S	143.841	129.397	122.153	133.960	142.400	137.023	132.115	143.006	135.498	
6	T	3.8673	3.4195	4.3949	4.3117	4.0464	4.8701	4.4531	4.0516	33.4146	
	S	150.034	126.813	118.526	132.040	140.866	135.661	131.982	142.536	134.672	
7	T	3.8973	3.3965	4.5911	4.6080	4.5505	6.5153	6.6823	7.4114	41.6524	
	S	148.879	127.672	113.461	123.550	125.261	101.405	87.953	77.921	108.037	
8	T	7.3577	7.2838	9.4902	8.6861	9.9236	8.9844	7.4530	9.0541	68.2329	
	S	78.860	59.534	54.889	65.544	57.439	73.537	78.858	63.783	65.951	
9	T	8.9402	7.1790	9.3310	10.5615	9.5087	9.7884	8.9508	8.2641	72.5237	
	S	64.901	60.403	55.826	53.905	59.945	67.496	65.662	69.881	62.049	
10	T	8.2062	7.4676	10.1790	11.1189	8.3163	9.8323	8.0886	8.8025	72.0114	
	S	70.706	58.069	51.175	51.203	68.540	67.195	72.661	65.606	62.490	
11	T	8.5421	9.9360	8.2249	9.0834	11.1907	10.9903	6.9171	8.3146	73.1991	
	S	67.926	43.643	63.333	62.677	50.935	60.115	84.967	69.456	61.476	
12	T	10.4459			8.3064	14.3867	8.5723	8.7314	6.7541	73.7896	
	S	55.546			68.540	39.620	77.072	67.312	85.504	60.984	
13	T	9.2086			8.2726	10.4299	10.6478	7.4033	7.9447	69.5858	
	S	63.009			68.820	54.651	62.049	79.387	72.690	64.668	
14	T	9.4235			7.4826	10.0187	10.3571	8.6783	7.7672	70.8891	
	S	61.572			76.086	56.894	63.790	67.724	74.351	63.479	
15	T	10.4373			8.2280	8.5045	11.1736	7.9419	9.2916	72.0850	
	S	55.592			69.193	67.023	59.129	74.003	62.153	62.426	
16	T	9.6582			8.3725	11.1808	6.8832	7.2288	9.6655	69.4814	
	S	60.076			67.999	50.980	95.985	81.304	59.749	64.766	
17	T	8.9387			8.9537	9.8111	8.1512	7.1466	9.4776	70.4144	
	S	64.912			63.585	58.097	81.053	82.239	60.933	63.907	
18	T	8.3720	8.7307	8.0988	10.4484	8.0386	11.8843	6.2413	8.6315	70.4456	
	S	69.306	49.668	64.319	54.489	70.908	55.593	94.167	66.906	63.879	
19	T	10.2237	7.7792	5.1715	6.3749	8.1042	9.2466	8.5373	5.1486	60.5860	
	S	56.753	55.743	100.727	89.306	70.334	71.451	68.842	112.166	74.275	

Event: Cooper Tires Indy Pro 2000 of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 13
1.25 mile(s)
Indy Pro 2000 Championship
August 21, 2021



Section Data for Car 21 - Simpson, Kyffin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	4.3401	3.7536	4.4512	4.3185	4.0826	5.1798	4.7371	4.2438	35.1067
	S	133.690	115.525	117.027	131.832	139.617	127.550	124.069	136.081	128.181
21	T	3.9499	3.7312	4.4765	4.2490	3.9428	5.1915	4.6916	4.2441	34.4766
	S	146.897	116.219	116.365	133.989	144.567	127.262	125.272	136.071	130.523
22	T	4.0200	3.4413	4.3180	4.2627	4.0334	4.9417	4.4815	4.0938	33.5924
	S	144.335	126.009	120.637	133.558	141.320	133.695	131.145	141.067	133.959
23	T	3.9176	3.3561	4.2301	4.2040	3.9889	4.8946	4.4723	4.0599	33.1235
	S	148.108	129.208	123.143	135.423	142.897	134.982	131.415	142.245	135.855
24	T	3.8842	3.4776	4.3206	4.3076	4.1063	5.1761	4.6278	4.1738	34.0740
	S	149.381	124.694	120.564	132.166	138.811	127.641	126.999	138.363	132.066
25	T	3.9399	3.4411	4.3283	4.2520	3.9973	4.9062	4.5052	4.0842	33.4542
	S	147.270	126.017	120.350	133.894	142.596	134.663	130.455	141.399	134.512
26	T	3.8999	3.4336	4.2572	4.1843	3.9234	5.0438	4.5214	4.0853	33.3489
	S	148.780	126.292	122.360	136.061	145.282	130.989	129.988	141.360	134.937
27	T	3.8899	3.4385	4.2868	4.2066	3.9403	4.9627	4.5131	4.0732	33.3111
	S	149.163	126.112	121.515	135.339	144.659	133.130	130.227	141.780	135.090
28	T	3.8851	3.3976	4.3150	4.2312	3.9770	4.8164	4.4319	4.0567	33.1109
	S	149.347	127.630	120.721	134.552	143.324	137.173	132.613	142.357	135.907
29	T	3.9001	3.3472	4.3192	4.2252	3.9862	4.8763	4.4652	4.0642	33.1836
	S	148.772	129.552	120.603	134.743	142.993	135.488	131.624	142.094	135.609
30	T	3.9066	3.4155	4.2738	4.2037	3.9712	4.9880	4.5318	4.1110	33.4016
	S	148.525	126.961	121.884	135.433	143.533	132.454	129.690	140.477	134.724
31	T	3.9447	3.5294	4.3036	4.2239	3.9751	4.8594	4.4569	4.0664	33.3594
	S	147.090	122.864	121.040	134.785	143.393	135.960	131.869	142.018	134.895
32	T	3.9166	3.3535	4.2525	4.1778	3.9393	4.8324	4.4107	4.0090	32.8918
	S	148.146	129.309	122.495	136.272	144.696	136.719	133.250	144.051	136.812
33	T	3.8711	3.4298	4.4289	4.3195	4.0307	4.8505	4.4104	4.0411	33.3820
	S	149.887	126.432	117.616	131.802	141.415	136.209	133.259	142.907	134.803
34	T	3.8862	3.3684	4.2390	4.2114	3.9966	4.8324	4.4214	4.0612	33.0166
	S	149.305	128.737	122.885	135.185	142.621	136.719	132.928	142.199	136.295
35	T	3.9079	3.3314	4.2197	4.2122	3.9956	4.8274	4.4013	4.0266	32.9221
	S	148.475	130.166	123.447	135.159	142.657	136.861	133.535	143.421	136.686
36	T	3.8913	3.3265	4.2177	4.1932	3.9672	4.7823	4.3879	4.0198	32.7859
	S	149.109	130.358	123.505	135.772	143.678	138.151	133.943	143.664	137.254
37	T	3.8748	3.3287	4.2678	4.2201	3.9858	4.7887	4.3888	4.0035	32.8582
	S	149.744	130.272	122.056	134.906	143.008	137.967	133.915	144.249	136.952
38	T	3.8594	3.3207	4.1768	4.1604	3.9217	4.8626	4.4429	4.0336	32.7781
	S	150.341	130.586	124.715	136.842	145.345	135.870	132.285	143.172	137.287

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 21 - Simpson, Kyffin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.8768	3.4991	4.4447	4.2768	3.9635	5.0578	4.6419	4.1731	33.9337
	S	149.667	123.928	117.198	133.118	143.812	130.626	126.614	138.386	132.612
40	T	3.9621	3.3337	4.1876	4.1729	3.9589	4.7154	4.4599	4.0264	32.8169
	S	146.444	130.077	124.393	136.432	143.979	140.112	131.780	143.428	137.124
41	T	3.8656	3.3784	4.4347	4.2739	4.0285	4.8693	4.4744	4.0749	33.3997
	S	150.100	128.356	117.462	133.208	141.492	135.683	131.353	141.721	134.732
42	T	3.9103	3.3917	4.2702	4.2412	4.0243	4.8186	4.4402	4.0730	33.1695
	S	148.384	127.852	121.987	134.235	141.640	137.111	132.365	141.787	135.667
43	T	3.9344	3.3475	4.2984	4.2644	4.0281	4.8812	4.4986	4.1060	33.3586
	S	147.475	129.540	121.187	133.505	141.506	135.352	130.647	140.648	134.898
44	T	3.9516	3.3391	4.2240	4.2451	4.0297	4.8798	4.4700	4.1201	33.2594
	S	146.834	129.866	123.321	134.112	141.450	135.391	131.483	140.167	135.300
45	T	3.9605	3.3490	4.2084	4.2417	4.0344	4.8125	4.4168	4.0619	33.0852
	S	146.504	129.482	123.778	134.219	141.285	137.285	133.066	142.175	136.012
46	T	3.9180	3.3016	4.2074	4.2292	4.0264	4.8198	4.4246	4.0839	33.0109
	S	148.093	131.341	123.808	134.616	141.566	137.077	132.832	141.409	136.319
47	T	3.9389	3.3268	4.2316	4.2288	4.0400	4.8352	4.4517	4.0912	33.1442
	S	147.307	130.346	123.100	134.629	141.089	136.640	132.023	141.157	135.770
48	T	3.9425	3.3913	4.2703	4.2470	4.0554	4.8719	4.4129	4.0790	33.2703
	S	147.172	127.867	121.984	134.052	140.553	135.611	133.184	141.579	135.256
49	T	3.9365	3.3314	4.1755	4.2226	4.0559	4.8130	4.4043	4.0609	33.0001
	S	147.397	130.166	124.754	134.826	140.536	137.270	133.444	142.210	136.363
50	T	3.9081	3.3158	4.1784	4.2183	4.0440	4.8338	4.4383	4.0748	33.0115
	S	148.468	130.779	124.667	134.964	140.950	136.680	132.422	141.725	136.316
51	T	3.9168	3.3074	4.2362	4.2575	4.0762	4.8266	4.4100	4.0654	33.0961
	S	148.138	131.111	122.966	133.721	139.836	136.883	133.271	142.052	135.968
52	T	3.9177	3.3299	4.2122	4.2318	4.0499	4.8118	4.4363	4.0829	33.0725
	S	148.104	130.225	123.667	134.533	140.744	137.305	132.481	141.444	136.065
53	T	3.9401	3.3079	4.2484	4.2522	4.0753	4.8581	4.4727	4.1077	33.2624
	S	147.262	131.091	122.613	133.888	139.867	135.996	131.403	140.590	135.288
54	T	3.9610	3.3543	4.2428	4.2523	4.0708	4.8784	4.4348	4.0936	33.2880
	S	146.485	129.278	122.775	133.885	140.022	135.430	132.526	141.074	135.184
55	T	3.9311	3.2977	4.2210	4.2479	4.0736	4.9536	4.4916	4.1270	33.3435
	S	147.599	131.497	123.409	134.023	139.925	133.374	130.850	139.932	134.959

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 22 - Sulaiman, Manuel

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.9537	3.9631	4.4988	4.1684	3.9612	5.2288	4.5962	4.0934	35.4636	63.3645
	S	117.130	109.418	115.788	136.580	143.896	126.354	127.872	141.081	126.891	63.152
2	T	3.8487	3.5253	4.4107	4.1714	3.9136	4.9438	4.4560	4.0167	33.2862	
	S	150.759	123.007	118.101	136.481	145.646	133.638	131.896	143.775	135.191	
3	T	3.9156	3.5893	4.5448	4.3152	4.0458	4.9525	4.5267	4.0492	33.9391	
	S	148.183	120.814	114.617	131.933	140.887	133.404	129.836	142.621	132.590	
4	T	3.8916	3.4453	4.6186	4.2826	3.9660	4.9304	4.4756	4.0889	33.6990	
	S	149.097	125.863	112.785	132.938	143.722	134.002	131.318	141.236	133.535	
5	T	3.9380	3.4791	4.4168	4.2764	4.0243	4.8644	4.3702	4.0331	33.4023	
	S	147.341	124.640	117.938	133.130	141.640	135.820	134.485	143.190	134.721	
6	T	3.9030	3.4434	4.3346	4.2077	3.9158	5.0772	4.7025	4.2123	33.7965	
	S	148.662	125.933	120.175	135.304	145.564	130.127	124.982	137.098	133.150	
7	T	4.0083	3.4635	4.5325	4.4431	4.4632	6.6141	6.6840	7.0377	41.2464	
	S	144.756	125.202	114.928	128.135	127.711	99.890	87.930	82.058	109.100	
8	T	7.4951	7.0874	9.0784	9.0514	9.5706	8.4349	7.7052	9.0098	67.4328	
	S	77.414	61.184	57.379	62.898	59.557	78.327	76.277	64.097	66.733	
9	T	9.5197	6.6848	9.7287	9.9926	9.7651	10.0673	9.0025	7.5594	72.3201	
	S	60.950	64.869	53.544	56.974	58.371	65.627	65.285	76.395	62.223	
10	T	8.7624	7.3804	10.3034	10.1611	8.8919	9.5467	8.4526	8.4440	71.9425	
	S	66.218	58.755	50.557	56.029	64.103	69.205	69.532	68.392	62.550	
11	T	9.6219	9.1068	7.4621	10.4912	11.3644	9.6579	7.2180	8.3616	73.2839	
	S	60.303	47.617	69.807	54.266	50.157	68.408	81.425	69.066	61.405	
12	T	10.5107			9.0900	14.2987	8.4463	8.4198	7.1608	73.8036	
	S	55.203			62.631	39.864	78.221	69.803	80.647	60.973	
13	T	9.3339			9.1896	10.7013	10.4946	7.4086	7.8487	69.8804	
	S	62.163			61.952	53.265	62.954	79.330	73.579	64.396	
14	T	9.8389			7.9350	10.1280	10.8629	7.6061	8.3360	70.8212	
	S	58.973			71.748	56.280	60.820	77.271	69.278	63.540	
15	T	10.2746			8.3689	9.6683	10.8395	7.5738	8.5423	71.1289	
	S	56.472			68.028	58.956	60.951	77.600	67.605	63.265	
16	T	8.9968			8.1566	8.7259	10.2121	8.2423	9.3044	69.8297	
	S	64.493			69.798	65.323	64.696	71.306	62.067	64.442	
17	T	9.9335			7.6916	8.4024	9.4548	8.7787	8.3975	69.8799	
	S	58.411			74.018	67.838	69.878	66.949	68.770	64.396	
18	T	9.3396	9.0490	7.4740	10.4832	8.4831	10.9317	6.9596	8.9542	71.6744	
	S	62.125	47.921	69.696	54.308	67.192	60.437	84.448	64.495	62.784	
19	T	10.9504	6.9167	5.3018	7.0127	8.3042	9.6540	8.5631	5.1257	61.8286	
	S	52.987	62.694	98.251	81.184	68.640	68.436	68.635	112.668	72.782	

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 22 - Sulaiman, Manuel

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	4.3009	3.6584	4.3371	4.2070	4.0301	5.1114	4.7153	4.3626	34.7228
	S	134.908	118.532	120.105	135.326	141.436	129.257	124.643	132.375	129.598
21	T	4.0578	3.7031	4.4766	4.2675	3.9796	5.0870	4.5749	4.1635	34.3100
	S	142.991	117.101	116.363	133.408	143.230	129.877	128.468	138.705	131.157
22	T	3.9719	3.4861	4.2785	4.2534	4.0356	4.9445	4.4321	4.0402	33.4423
	S	146.083	124.390	121.750	133.850	141.243	133.620	132.607	142.938	134.560
23	T	3.8374	3.4936	4.4294	4.2856	4.0501	4.9598	4.4917	4.0904	33.6380
	S	151.203	124.123	117.603	132.844	140.737	133.207	130.847	141.184	133.777
24	T	3.9189	3.3924	4.2041	4.1962	3.9986	4.9323	4.4862	4.0602	33.1889
	S	148.059	127.826	123.905	135.675	142.550	133.950	131.008	142.234	135.588
25	T	3.9338	3.4196	4.2343	4.2495	4.0801	4.8501	4.3845	4.0902	33.2421
	S	147.498	126.809	123.021	133.973	139.702	136.220	134.047	141.191	135.371
26	T	3.9624	3.3753	4.1782	4.2196	4.0599	4.8163	4.4191	4.0866	33.1174
	S	146.433	128.473	124.673	134.922	140.398	137.176	132.997	141.316	135.880
27	T	3.9561	3.3554	4.1779	4.2056	4.0539	4.8369	4.3857	4.0760	33.0475
	S	146.666	129.235	124.682	135.371	140.605	136.592	134.010	141.683	136.168
28	T	3.9452	3.3590	4.1690	4.1958	4.0497	4.8171	4.3866	4.0799	33.0023
	S	147.072	129.097	124.948	135.688	140.751	137.153	133.982	141.548	136.354
29	T	3.9557	3.3652	4.2033	4.2245	4.0642	4.8371	4.3938	4.0702	33.1140
	S	146.681	128.859	123.929	134.766	140.249	136.586	133.763	141.885	135.894
30	T	3.9529	3.3668	4.1800	4.2065	4.0576	4.8259	4.3997	4.0695	33.0589
	S	146.785	128.798	124.619	135.342	140.477	136.903	133.583	141.909	136.121
31	T	3.9417	3.3352	4.1925	4.2065	4.0569	4.8279	4.3834	4.0637	33.0078
	S	147.202	130.018	124.248	135.342	140.501	136.847	134.080	142.112	136.331
32	T	3.9422	3.3316	4.1597	4.1967	4.0527	4.8372	4.3916	4.0666	32.9783
	S	147.184	130.159	125.228	135.659	140.647	136.584	133.830	142.011	136.453
33	T	3.9490	3.3677	4.1995	4.2179	4.0677	4.8385	4.3951	4.0596	33.0950
	S	146.930	128.763	124.041	134.977	140.128	136.547	133.723	142.255	135.972
34	T	3.9402	3.3364	4.1777	4.2049	4.0656	4.8173	4.3752	4.0487	32.9660
	S	147.258	129.971	124.688	135.394	140.201	137.148	134.332	142.638	136.504
35	T	3.9238	3.3227	4.1850	4.2094	4.0668	4.8371	4.3809	4.0577	32.9834
	S	147.874	130.507	124.471	135.249	140.159	136.586	134.157	142.322	136.432
36	T	3.9386	3.3327	4.2320	4.2326	4.0871	4.8419	4.3703	4.0594	33.0946
	S	147.318	130.116	123.088	134.508	139.463	136.451	134.482	142.262	135.974
37	T	3.9342	3.3384	4.1842	4.2121	4.0669	4.8742	4.4308	4.0796	33.1204
	S	147.483	129.893	124.494	135.163	140.156	135.547	132.646	141.558	135.868
38	T	3.9449	3.3344	4.1760	4.2162	4.0693	4.8365	4.4078	4.0733	33.0584
	S	147.083	130.049	124.739	135.031	140.073	136.603	133.338	141.777	136.123

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 22 - Sulaiman, Manuel

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.9491	3.3893	4.2026	4.2223	4.0875	4.8832	4.3734	4.0644	33.1718
	S	146.926	127.943	123.949	134.836	139.450	135.297	134.387	142.087	135.657
40	T	3.9444	3.3579	4.2050	4.2157	4.0784	4.8839	4.4291	4.0727	33.1871
	S	147.102	129.139	123.878	135.047	139.761	135.278	132.697	141.798	135.595
41	T	3.9437	3.3682	4.1639	4.2161	4.0809	4.8872	4.4173	4.0930	33.1703
	S	147.128	128.744	125.101	135.034	139.675	135.186	133.051	141.095	135.664
42	T	3.9507	3.3396	4.1623	4.2145	4.0884	4.8412	4.3859	4.0584	33.0410
	S	146.867	129.847	125.149	135.086	139.419	136.471	134.004	142.297	136.194
43	T	3.9354	3.3485	4.1790	4.2228	4.0825	4.8050	4.3617	4.0398	32.9747
	S	147.438	129.502	124.649	134.820	139.620	137.499	134.747	142.953	136.468
44	T	3.9234	3.3218	4.1590	4.2059	4.0698	4.8061	4.3538	4.0524	32.8922
	S	147.889	130.543	125.249	135.362	140.056	137.467	134.992	142.508	136.811
45	T	3.9224	3.2976	4.1509	4.2014	4.0654	4.8182	4.3771	4.0441	32.8771
	S	147.927	131.501	125.493	135.507	140.208	137.122	134.273	142.801	136.873
46	T	3.9263	3.3242	4.2019	4.2190	4.0708	4.8359	4.3642	4.0642	33.0065
	S	147.780	130.448	123.970	134.941	140.022	136.620	134.670	142.094	136.337
47	T	3.9401	3.3509	4.2079	4.2228	4.0803	4.8556	4.4061	4.0656	33.1293
	S	147.262	129.409	123.793	134.820	139.696	136.066	133.389	142.045	135.831
48	T	3.9395	3.3461	4.1715	4.2033	4.0945	4.8614	4.3772	4.0689	33.0624
	S	147.284	129.595	124.873	135.446	139.211	135.904	134.270	141.930	136.106
49	T	3.9337	3.3397	4.1930	4.2083	4.0797	4.8200	4.3639	4.0528	32.9911
	S	147.502	129.843	124.233	135.285	139.716	137.071	134.679	142.494	136.400
50	T	3.9186	3.3276	4.1501	4.2166	4.0790	4.8236	4.3745	4.0597	32.9497
	S	148.070	130.315	125.517	135.018	139.740	136.969	134.353	142.252	136.572
51	T	3.9244	3.3346	4.1952	4.2227	4.0685	4.8904	4.4766	4.1250	33.2374
	S	147.851	130.041	124.168	134.823	140.101	135.098	131.289	140.000	135.390
52	T	3.9677	3.3433	4.1794	4.2106	4.0622	4.8467	4.4211	4.0917	33.1227
	S	146.238	129.703	124.637	135.211	140.318	136.316	132.937	141.139	135.858
53	T	3.9681	3.5464	4.3151	4.2767	4.0917	4.8489	4.4082	4.0901	33.5452
	S	146.223	122.275	120.718	133.121	139.306	136.254	133.326	141.195	134.147
54	T	3.9539	3.3757	4.2570	4.2367	4.0855	4.8561	4.4172	4.1054	33.2875
	S	146.748	128.458	122.365	134.378	139.518	136.052	133.054	140.668	135.186
55	T	3.9417	3.3710	4.3437	4.3276	4.0885	4.9224	4.4960	4.1363	33.6272
	S	147.202	128.637	119.923	131.555	139.415	134.219	130.722	139.618	133.820
56	T	4.2112								
	S	137.782								

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 3 - Roe, James (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.9769	3.7169	4.4579	4.3722	4.1647	4.9981	4.6539	4.2202	35.5608	71.4630
	S	116.584	116.666	116.851	130.213	136.865	132.187	126.287	136.842	126.544	55.995
2	T	4.0208	3.4350	4.2916	4.2558	4.0641	4.8141	4.4062	4.0736	33.3612	
	S	144.306	126.241	121.379	133.775	140.252	137.239	133.386	141.766	134.887	
3	T	3.9283	3.3509	4.2066	4.2177	4.0574	4.7910	4.4058	4.0645	33.0222	
	S	147.704	129.409	123.831	134.983	140.484	137.901	133.399	142.084	136.272	
4	T	3.9267	3.3471	4.1919	4.2253	4.0683	4.7679	4.4082	4.0572	32.9926	
	S	147.765	129.556	124.266	134.740	140.108	138.569	133.326	142.340	136.394	
5	T	3.9127	3.3131	4.2503	4.2374	4.0641	4.7424	4.3745	4.0307	32.9252	
	S	148.293	130.885	122.558	134.356	140.252	139.314	134.353	143.275	136.673	
6	T	3.8986	3.3270	4.2430	4.2483	4.0704	4.7410	4.3824	4.0486	32.9593	
	S	148.830	130.339	122.769	134.011	140.035	139.355	134.111	142.642	136.532	
7	T	3.9130	3.3204	4.2553	4.6962	5.3631	7.0313	6.8035	6.9677	42.3505	
	S	148.282	130.598	122.414	121.230	106.282	93.963	86.386	82.882	106.256	
8	T	7.6406	7.2474	8.8198	9.5707	9.3972	8.1691	8.2147	8.9427	68.0022	
	S	75.940	59.833	59.061	59.486	60.656	80.876	71.546	64.578	66.174	
9	T	7.5299	7.8349	10.2584	10.0354	9.4884	9.4756	8.9842	8.7233	72.3301	
	S	77.056	55.347	50.779	56.731	60.073	69.725	65.418	66.202	62.215	
10	T	7.9645	7.8557	10.6129	9.7845	8.7536	9.1635	8.7251	8.5243	71.3841	
	S	72.852	55.200	49.083	58.186	65.116	72.099	67.361	67.747	63.039	
11	T	9.3439	7.4029	9.7487	9.8850	9.7758	9.3006	8.3583	8.8048	72.6200	
	S	62.097	58.577	53.434	57.594	58.307	71.036	70.317	65.589	61.966	
12	T				10.5943	9.8077	11.3335	6.0800	9.1527	72.6605	
	S				53.738	58.118	58.295	96.666	63.096	61.932	
13	T	8.0717			11.4385	9.6837	8.2715	7.7662	9.0534	69.5400	
	S	71.884			49.772	58.862	79.874	75.678	63.788	64.711	
14	T	9.2194			8.5671	10.8688	8.4734	8.5775	7.8534	70.5798	
	S	62.935			66.454	52.444	77.971	68.520	73.535	63.758	
15	T	9.6396			9.3095	10.0892	9.2662	8.2829	8.8269	71.7458	
	S	60.192			61.155	56.496	71.300	70.957	65.425	62.721	
16	T	9.3671			9.2257	8.6575	9.8145	8.8313	8.7629	70.3939	
	S	61.943			61.710	65.839	67.317	66.550	65.903	63.926	
17	T	9.0516			9.0240	9.2902	9.6346	8.6707	8.6770	70.8059	
	S	64.102			63.089	61.355	68.574	67.783	66.555	63.554	
18	T	9.1190	7.0283	9.6754	8.9283	9.1674	9.8378	8.0703	8.6903	70.5168	
	S	63.628	61.699	53.839	63.766	62.177	67.157	72.826	66.453	63.815	
19	T	9.1234	6.7877	7.2822	9.0138	8.6802	10.1960	8.6207	5.0740	64.7780	
	S	63.598	63.886	71.532	63.161	65.667	64.798	68.176	113.816	69.468	

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 3 - Roe, James (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	4.2617	3.6494	4.4938	4.3601	4.1012	4.9731	4.6448	4.1815	34.6656
	S	136.149	118.824	115.917	130.575	138.984	132.851	126.534	138.108	129.812
21	T	3.9620	3.5422	4.3110	4.2389	4.0211	4.9123	4.5180	4.0912	33.5967
	S	146.448	122.420	120.833	134.308	141.752	134.495	130.086	141.157	133.942
22	T	3.9281	3.4072	4.2370	4.2262	4.0234	4.7744	4.4259	4.0390	33.0612
	S	147.712	127.271	122.943	134.712	141.671	138.380	132.793	142.981	136.111
23	T	3.9025	3.3569	4.2452	4.2436	4.0360	4.7345	4.3857	4.0150	32.9194
	S	148.681	129.178	122.705	134.159	141.229	139.546	134.010	143.836	136.698
24	T	3.8858	3.3720	4.2305	4.2702	4.0437	4.7915	4.3776	4.0256	32.9969
	S	149.320	128.599	123.132	133.324	140.960	137.886	134.258	143.457	136.376
25	T	3.8833	3.3419	4.2053	4.2188	4.0340	4.7498	4.4348	4.0495	32.9174
	S	149.416	129.757	123.870	134.948	141.299	139.097	132.526	142.610	136.706
26	T	3.9063	3.3269	4.2425	4.2550	4.0453	4.7457	4.3885	4.0475	32.9577
	S	148.536	130.342	122.784	133.800	140.904	139.217	133.924	142.681	136.539
27	T	3.8999	3.3407	4.2253	4.2311	4.0534	4.7399	4.5575	4.1278	33.1756
	S	148.780	129.804	123.283	134.556	140.623	139.387	128.958	139.905	135.642
28	T	3.9592	3.3840	4.2000	4.2030	4.0297	4.7740	4.3718	4.0278	32.9495
	S	146.552	128.143	124.026	135.455	141.450	138.392	134.436	143.379	136.573
29	T	3.9064	3.3717	4.1694	4.2005	4.0327	4.7430	4.3308	4.0194	32.7739
	S	148.532	128.611	124.936	135.536	141.345	139.296	135.709	143.678	137.304
30	T	3.8933	3.3238	4.1961	4.2093	4.0421	4.7593	4.3403	4.0252	32.7894
	S	149.032	130.464	124.141	135.252	141.016	138.819	135.412	143.471	137.239
31	T	3.9012	3.3524	4.2420	4.2312	4.0541	4.7877	4.3684	4.0462	32.9832
	S	148.730	129.351	122.798	134.552	140.598	137.996	134.541	142.727	136.433
32	T	3.9241	3.3528	4.1987	4.2172	4.0485	4.7666	4.3658	4.0344	32.9081
	S	147.863	129.336	124.064	134.999	140.793	138.607	134.621	143.144	136.744
33	T	3.9170	3.3511	4.1788	4.2071	4.0312	4.7463	4.3460	4.0352	32.8127
	S	148.131	129.401	124.655	135.323	141.397	139.199	135.234	143.116	137.142
34	T	3.9125	3.3464	4.1674	4.1930	4.0381	4.7411	4.3373	4.0227	32.7585
	S	148.301	129.583	124.996	135.778	141.155	139.352	135.505	143.560	137.369
35	T	3.9091	3.3752	4.1682	4.2027	4.0415	4.7457	4.3717	4.0320	32.8461
	S	148.430	128.477	124.972	135.465	141.037	139.217	134.439	143.229	137.003
36	T	3.9114	3.3394	4.1772	4.2028	4.0532	4.7496	4.3441	4.0312	32.8089
	S	148.343	129.855	124.703	135.462	140.630	139.103	135.293	143.258	137.158
37	T	3.9186	3.3491	4.1555	4.2065	4.0503	4.7066	4.3565	4.0164	32.7595
	S	148.070	129.478	125.354	135.342	140.730	140.373	134.908	143.785	137.365
38	T	3.9039	3.3101	4.2354	4.2418	4.0590	4.7330	4.3514	4.0250	32.8596
	S	148.628	131.004	122.989	134.216	140.429	139.590	135.066	143.478	136.946

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 3 - Roe, James (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.9134	3.3441	4.2196	4.2289	4.0695	4.7245	4.3656	4.0205	32.8861
	S	148.267	129.672	123.450	134.626	140.066	139.842	134.627	143.639	136.836
40	T	3.9079	3.3490	4.1422	4.1965	4.0539	4.7472	4.3522	4.0307	32.7796
	S	148.475	129.482	125.757	135.665	140.605	139.173	135.041	143.275	137.281
41	T	3.9165	3.3449	4.1606	4.2098	4.0540	4.7175	4.3175	4.0096	32.7304
	S	148.149	129.641	125.200	135.236	140.602	140.049	136.127	144.029	137.487
42	T	3.8969	3.3106	4.2110	4.2302	4.0683	4.7528	4.3504	4.0216	32.8418
	S	148.895	130.984	123.702	134.584	140.108	139.009	135.097	143.600	137.021
43	T	3.9101	3.3293	4.1721	4.2242	4.0727	4.7561	4.3258	4.0222	32.8125
	S	148.392	130.249	124.855	134.775	139.956	138.913	135.866	143.578	137.143
44	T	3.9109	3.3609	4.2280	4.2368	4.0687	4.7231	4.3240	4.0241	32.8765
	S	148.362	129.024	123.205	134.375	140.094	139.883	135.922	143.510	136.876
45	T	3.9011	3.3218	4.1926	4.2270	4.0665	4.7401	4.3475	4.0445	32.8411
	S	148.734	130.543	124.245	134.686	140.170	139.381	135.187	142.787	137.023
46	T	3.9182	3.3342	4.1699	4.2109	4.0539	4.7250	4.3290	4.0375	32.7786
	S	148.085	130.057	124.921	135.201	140.605	139.827	135.765	143.034	137.285
47	T	3.9208	3.3536	4.1834	4.2136	4.0670	4.7333	4.3445	4.0226	32.8388
	S	147.987	129.305	124.518	135.114	140.152	139.582	135.281	143.564	137.033
48	T	3.9067	3.3544	4.2472	4.2374	4.0916	4.7520	4.3779	4.0436	33.0108
	S	148.521	129.274	122.648	134.356	139.310	139.032	134.249	142.818	136.319
49	T	3.9235	3.3742	4.1909	4.2137	4.0775	4.7401	4.3447	4.0224	32.8870
	S	147.885	128.515	124.295	135.111	139.792	139.381	135.275	143.571	136.832
50	T	3.9013	3.3397	4.1644	4.2132	4.0630	4.7587	4.3405	4.0307	32.8115
	S	148.727	129.843	125.086	135.127	140.290	138.837	135.405	143.275	137.147
51	T	3.9060	3.3270	4.1929	4.2252	4.0655	4.7148	4.3351	4.0193	32.7858
	S	148.548	130.339	124.236	134.743	140.204	140.129	135.574	143.682	137.255
52	T	3.8982	3.3227	4.1874	4.2162	4.0544	4.7000	4.3231	4.0080	32.7100
	S	148.845	130.507	124.399	135.031	140.588	140.571	135.950	144.087	137.573
53	T	3.8917	3.3081	4.1617	4.2134	4.0627	4.7349	4.3553	4.0410	32.7688
	S	149.094	131.083	125.167	135.121	140.301	139.534	134.945	142.910	137.326
54	T	3.9130	3.3269	4.1906	4.2135	4.0658	4.7197	4.3293	4.0335	32.7923
	S	148.282	130.342	124.304	135.118	140.194	139.984	135.756	143.176	137.227
55	T	3.8986	3.3067	4.2090	4.2253	4.0781	4.7737	4.3800	4.0556	32.9270
	S	148.830	131.139	123.761	134.740	139.771	138.400	134.184	142.396	136.666
56	T	4.4876	4.6879	5.9164						
	S	129.296	92.501	88.045						

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 40 - Miller, Jack William (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.9477	3.9445	4.5095	4.3223	4.0122	5.3264	4.4624	4.0550	35.5800	68.2664
	S	117.272	109.934	115.514	131.716	142.067	124.039	131.707	142.417	126.476	58.617
2	T	3.9052	3.4736	4.4908	4.2610	4.0201	5.0086	4.4370	4.0338	33.6301	
	S	148.578	124.838	115.995	133.611	141.788	131.909	132.461	143.165	133.809	
3	T	3.8102	3.3845	4.4343	4.2782	4.0699	4.9224	4.6044	4.2351	33.7390	
	S	152.283	128.124	117.473	133.074	140.053	134.219	127.645	136.360	133.377	
4	T	3.9589	3.3763	4.5249	4.3064	4.0442	4.6967	4.4131	4.0276	33.3481	
	S	146.563	128.435	115.121	132.203	140.943	140.669	133.178	143.386	134.940	
5	T	3.8528	3.2903	4.2110	4.1789	4.0477	4.9698	4.6359	4.2452	33.4316	
	S	150.599	131.792	123.702	136.236	140.821	132.939	126.777	136.036	134.603	
6	T	4.0316	3.4515	4.4200	4.2627	3.9979	4.8698	4.4933	4.0592	33.5860	
	S	143.920	125.637	117.853	133.558	142.575	135.669	130.801	142.269	133.984	
7	T	3.8331	3.3382								
	S	151.373	129.901								

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 42 - Petrov, Artem

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.9549	3.6809	4.5430	4.2900	4.0913	5.1109	4.7058	4.3549	35.7317	69.3088
	S	117.102	117.807	114.662	132.708	139.320	129.269	124.894	132.609	125.939	57.736
2	T	4.1153	3.7798	4.5019	4.3034	4.0230	4.8375	4.4211	4.0508	34.0328	
	S	140.993	114.725	115.709	132.295	141.685	136.575	132.937	142.564	132.225	
3	T	3.8359	3.4651	4.2764	4.2495	4.0819	4.9508	4.5538	4.1271	33.5405	
	S	151.262	125.144	121.810	133.973	139.641	133.450	129.063	139.929	134.166	
4	T	3.9110	3.5787	4.5114	4.2235	3.9278	4.9389	4.4939	4.0319	33.6171	
	S	148.358	121.171	115.465	134.798	145.119	133.771	130.783	143.233	133.860	
5	T	3.8690	3.2714	4.1427	4.1529	4.0012	4.8515	4.4824	4.1446	32.9157	
	S	149.968	132.554	125.741	137.089	142.457	136.181	131.119	139.338	136.713	
6	T	4.0051	3.3666	4.3026	4.2354	4.0288	4.8437	4.4778	4.1254	33.3854	
	S	144.872	128.805	121.068	134.419	141.481	136.400	131.254	139.986	134.789	
7	T	3.9456	3.3912								
	S	147.057	127.871								

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 5 - Brichacek, Wyatt (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	5.1116	4.0443	4.5423	4.2591	4.0245	5.4798	4.7413	4.1896	36.3925	62.9765
	S	113.512	107.222	114.680	133.671	141.633	120.567	123.959	137.841	123.652	63.541
2	T	3.9784	3.5641	4.4491	4.3379	3.9591	5.4111	4.5677	4.0815	34.3489	
	S	145.844	121.668	117.082	131.243	143.972	122.098	128.670	141.492	131.009	
3	T	3.9110	3.5670	4.4378	4.2834	3.9962	4.9982	4.5674	4.1611	33.9221	
	S	148.358	121.569	117.380	132.913	142.636	132.184	128.679	138.785	132.657	
4	T	3.9730	3.4696	4.3415	4.2672	4.0169	4.9173	4.4515	4.0764	33.5134	
	S	146.043	124.982	119.984	133.417	141.900	134.359	132.029	141.669	134.275	
5	T	3.9218	3.4496	4.3743	4.2775	4.0162	4.8833	4.4511	4.0761	33.4499	
	S	147.949	125.706	119.084	133.096	141.925	135.294	132.041	141.680	134.530	
6	T	3.9161	3.4485	4.2879	4.2533	4.0291	4.9717	4.5146	4.1361	33.5573	
	S	148.165	125.746	121.483	133.853	141.471	132.889	130.184	139.624	134.099	
7	T	3.9680	3.4695	4.8508	4.6457	4.4018	6.3245	6.4768	7.3502	41.4873	
	S	146.227	124.985	107.386	122.547	129.492	104.464	90.743	78.569	108.467	
8	T	7.4723	7.0936	9.4743	8.5062	10.0465	8.9419	7.6237	9.1571	68.3156	
	S	77.650	61.131	54.981	66.930	56.736	73.886	77.092	63.066	65.871	
9	T	8.8683	7.3378	9.2183	10.4279	9.6210	9.8029	8.7261	8.5257	72.5280	
	S	65.427	59.096	56.508	54.596	59.245	67.397	67.353	67.736	62.045	
10	T	8.4028	7.0190	10.1649	11.2200	8.3441	9.7571	8.3348	8.7820	72.0247	
	S	69.052	61.780	51.246	50.741	68.312	67.713	70.515	65.760	62.479	
11	T	8.4330	9.9193	8.5969	9.3622	10.4955	11.1307	7.2084	8.3427	73.4887	
	S	68.804	43.716	60.593	60.810	54.309	59.357	81.534	69.222	61.234	
12	T				8.4803	14.0833	8.4725	9.0447	7.1965	74.0989	
	S				67.134	40.473	77.980	64.980	80.247	60.730	
13	T	8.4673			8.3389	10.2117	10.7172	7.4820	8.1469	69.1522	
	S	68.526			68.273	55.818	61.647	78.552	70.886	65.074	
14	T	8.9621			8.2777	9.2201	10.0968	8.6341	7.9006	70.5404	
	S	64.742			68.777	61.821	65.435	68.070	73.096	63.793	
15	T	10.4377			8.4479	8.3344	10.8315	8.1973	9.3778	72.2217	
	S	55.590			67.392	68.391	60.996	71.698	61.582	62.308	
16	T	9.5593			8.2057	11.1641	7.1986	7.0702	9.9898	69.8093	
	S	60.698			69.381	51.057	91.779	83.127	57.809	64.461	
17	T	8.6063			8.5296	9.5462	8.6737	7.1675	9.4988	70.2864	
	S	67.419			66.746	59.710	76.171	81.999	60.797	64.024	
18	T	8.3194	8.4712	8.3642	10.2574	8.1984	11.7550	6.3931	8.6240	70.3827	
	S	69.744	51.189	62.278	55.503	69.526	56.204	91.932	66.964	63.936	
19	T	10.0694	7.4303	5.1936	6.4993	7.8515	9.2384	8.4040	5.1059	59.7924	
	S	57.623	58.361	100.298	87.597	72.598	71.515	69.934	113.104	75.260	

Event: Cooper Tires Indy Pro 2000 of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 13
1.25 mile(s)



Indy Pro 2000 Championship
August 21, 2021

Section Data for Car 5 - Brichacek, Wyatt (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	4.2773	3.7706	4.4919	4.2484	4.0688	5.1906	4.6247	4.1357	34.8080
	S	135.653	115.005	115.966	134.008	140.090	127.284	127.084	139.638	129.281
21	T	3.9337	3.5129	4.3659	4.2899	4.0335	4.9343	4.5019	4.1285	33.7006
	S	147.502	123.441	119.313	132.711	141.316	133.896	130.551	139.881	133.529
22	T	3.9325	3.4432	4.4223	4.2835	4.0204	4.9203	4.4395	4.0523	33.5140
	S	147.547	125.940	117.791	132.910	141.777	134.277	132.386	142.512	134.272
23	T	3.8782	3.4597	4.3459	4.2622	3.9980	5.0849	4.4802	4.0261	33.5352
	S	149.613	125.339	119.862	133.574	142.571	129.930	131.183	143.439	134.187
24	T	3.9323	3.4970	4.3848	4.2994	4.0726	4.9069	4.4594	4.1036	33.6560
	S	147.554	124.002	118.799	132.418	139.960	134.643	131.795	140.730	133.706
25	T	3.9223	3.4585	4.2969	4.2462	4.0212	4.9326	4.5005	4.1230	33.5012
	S	147.930	125.383	121.229	134.077	141.749	133.942	130.592	140.068	134.324
26	T	3.9366	3.3898	4.2280	4.2186	4.0044	4.8729	4.4533	4.0872	33.1908
	S	147.393	127.924	123.205	134.954	142.343	135.583	131.976	141.295	135.580
27	T	3.9272	3.3998	4.2517	4.2139	3.9986	4.8368	4.4343	4.0539	33.1162
	S	147.746	127.548	122.518	135.105	142.550	136.595	132.541	142.455	135.885
28	T	3.8927	3.3915	4.2578	4.2121	3.9962	4.8790	4.4530	4.0601	33.1424
	S	149.055	127.860	122.342	135.163	142.636	135.413	131.985	142.238	135.778
29	T	3.9033	3.4044	4.2483	4.2159	3.9988	4.8394	4.4190	4.0288	33.0579
	S	148.650	127.375	122.616	135.041	142.543	136.521	133.000	143.343	136.125
30	T	3.8786	3.4059	4.2532	4.2093	3.9862	4.8907	4.4649	4.0751	33.1639
	S	149.597	127.319	122.475	135.252	142.993	135.089	131.633	141.714	135.690
31	T	3.9101	3.4410	4.2758	4.2105	3.9921	4.8938	4.4544	4.0865	33.2642
	S	148.392	126.020	121.827	135.214	142.782	135.004	131.943	141.319	135.281
32	T	3.9309	3.4195	4.2675	4.2299	4.0192	4.8033	4.3986	4.0428	33.1117
	S	147.607	126.813	122.064	134.594	141.819	137.547	133.617	142.847	135.904
33	T	3.8971	3.4494	4.2959	4.2458	4.0188	4.8161	4.4059	4.0424	33.1714
	S	148.887	125.714	121.257	134.090	141.833	137.182	133.396	142.861	135.659
34	T	3.8900	3.4254	4.2786	4.2361	4.0395	4.8214	4.3838	4.0237	33.0985
	S	149.159	126.594	121.748	134.397	141.107	137.031	134.068	143.525	135.958
35	T	3.8904	3.3780	4.2521	4.2208	4.0188	4.8272	4.3804	4.0326	33.0003
	S	149.143	128.371	122.506	134.884	141.833	136.866	134.172	143.208	136.362
36	T	3.8930	3.3987	4.2207	4.2068	4.0146	4.7734	4.3497	4.0123	32.8692
	S	149.044	127.589	123.418	135.333	141.982	138.409	135.119	143.932	136.906
37	T	3.8791	3.3917	4.2098	4.2162	4.0202	4.7931	4.3566	4.0137	32.8804
	S	149.578	127.852	123.737	135.031	141.784	137.840	134.905	143.882	136.860
38	T	3.8761	3.4159	4.2271	4.2231	4.0315	4.7890	4.3517	4.0216	32.9360
	S	149.694	126.946	123.231	134.810	141.387	137.958	135.057	143.600	136.629

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 5 - Brichacek, Wyatt (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.8850	3.4015	4.1819	4.1956	4.0232	4.8354	4.4162	4.0365	32.9753
	S	149.351	127.484	124.563	135.694	141.678	136.634	133.084	143.069	136.466
40	T	3.8936	3.4107	4.2367	4.2249	4.0324	4.8140	4.3574	4.0124	32.9821
	S	149.021	127.140	122.952	134.753	141.355	137.242	134.880	143.929	136.438
41	T	3.8742	3.3904	4.2029	4.2117	4.0189	4.8402	4.4042	4.0265	32.9690
	S	149.767	127.901	123.940	135.175	141.830	136.499	133.447	143.425	136.492
42	T	3.8732	3.3894	4.2288	4.2052	3.9956	4.8644	4.4123	4.0446	33.0135
	S	149.806	127.939	123.181	135.384	142.657	135.820	133.202	142.783	136.308
43	T	3.8742	3.4766	4.2886	4.2418	4.0181	4.8489	4.4075	4.0326	33.1883
	S	149.767	124.730	121.464	134.216	141.858	136.254	133.347	143.208	135.590
44	T	3.8768	3.4326	4.2596	4.2338	4.0156	4.7929	4.3265	3.9948	32.9326
	S	149.667	126.329	122.291	134.470	141.946	137.846	135.844	144.563	136.643
45	T	3.8392	3.4114	4.2608	4.2322	4.0068	4.8151	4.3846	4.0103	32.9604
	S	151.132	127.114	122.256	134.521	142.258	137.210	134.044	144.004	136.527
46	T	3.8535	3.3924	4.2592	4.2197	3.9929	4.8128	4.4396	4.0265	32.9966
	S	150.571	127.826	122.302	134.919	142.753	137.276	132.383	143.425	136.378
47	T	3.8691	3.4419	4.2641	4.2134	4.0085	4.8702	4.4531	4.0638	33.1841
	S	149.964	125.987	122.162	135.121	142.198	135.658	131.982	142.108	135.607
48	T	3.9045	3.4743	4.2372	4.2156	4.0283	4.8562	4.4030	4.0503	33.1694
	S	148.605	124.813	122.937	135.050	141.499	136.049	133.483	142.582	135.667
49	T	3.8937	3.4176	4.2138	4.2190	4.0329	4.8069	4.3746	4.0325	32.9910
	S	149.017	126.883	123.620	134.941	141.337	137.444	134.350	143.211	136.401
50	T	3.8815	3.4234	4.3137	4.2753	4.0546	4.8183	4.3788	4.0347	33.1803
	S	149.485	126.668	120.757	133.164	140.581	137.119	134.221	143.133	135.623
51	T	3.8845	3.3770	4.2004	4.2336	4.0384	4.7593	4.3495	4.0050	32.8477
	S	149.370	128.409	124.014	134.476	141.145	138.819	135.125	144.195	136.996
52	T	3.8594	3.3831	4.2065	4.2099	4.0153	4.8080	4.4001	4.0372	32.9195
	S	150.341	128.177	123.834	135.233	141.957	137.413	133.571	143.045	136.697
53	T	3.9000	3.4133	4.2759	4.2246	3.9669	4.9674	4.5371	4.1354	33.4206
	S	148.776	127.043	121.824	134.763	143.689	133.004	129.538	139.648	134.647
54	T	3.9656	3.5345	4.3998	4.2961	3.9745	5.1655	4.4895	4.0548	33.8803
	S	146.315	122.687	118.394	132.520	143.414	127.903	130.912	142.424	132.821
55	T	3.8616	3.3946	4.2874	4.2139	3.9648	4.9821	4.4269	4.0206	33.1519
	S	150.256	127.743	121.498	135.105	143.765	132.611	132.763	143.635	135.739
56	T	4.2700								
	S	135.885								

Event: Cooper Tires Indy Pro 2000 of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 13
1.25 mile(s)



Indy Pro 2000 Championship
August 21, 2021

Section Data for Car 51 - Abel, Jacob

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.8339	3.6514	4.4836	4.2263	4.0479	5.2880	4.5289	4.1262	35.1862	62.6390
	S	120.033	118.759	116.181	134.708	140.814	124.940	129.773	139.959	127.891	63.883
2	T	4.0004	3.6963	4.3928	4.3344	3.9760	5.0469	4.4940	4.0243	33.9651	
	S	145.042	117.316	118.582	131.349	143.360	130.908	130.780	143.503	132.489	
3	T	3.8317	3.5410	4.3840	4.3345	3.9982	5.1647	4.4215	3.9962	33.6718	
	S	151.428	122.462	118.821	131.346	142.564	127.923	132.925	144.512	133.643	
4	T	3.9001	3.6566	4.4529	4.3688	3.9718	5.1487	4.5180	4.0340	34.0509	
	S	148.772	118.590	116.982	130.315	143.512	128.320	130.086	143.158	132.155	
5	T	3.8471	3.5076	4.2965	4.1847	3.9334	5.1283	4.4307	4.0089	33.3372	
	S	150.822	123.628	121.240	136.048	144.913	128.831	132.649	144.054	134.984	
6	T	3.8722	3.4259	4.5117	4.2318	4.0430	5.0164	4.4513	4.0844	33.6367	
	S	149.844	126.576	115.457	134.533	140.984	131.704	132.035	141.392	133.782	
7	T	3.9200	3.6313	4.8257	4.5022	4.4978	6.6003	6.6742	7.1485	41.8000	
	S	148.017	119.416	107.945	126.453	126.729	100.099	88.060	80.786	107.656	
8	T	7.3610	7.1796	9.0846	9.2485	9.7780	8.4077	7.9192	9.0335	68.0121	
	S	78.825	60.398	57.340	61.558	58.294	78.581	74.215	63.929	66.165	
9	T	9.0343	7.1718	9.5440	10.2882	9.6432	9.8077	9.1102	7.8529	72.4523	
	S	64.225	60.464	54.580	55.337	59.109	67.364	64.513	73.540	62.110	
10	T	8.4247	7.2643	10.3823	10.3639	8.6465	9.2116	8.9985	9.0575	72.3493	
	S	68.872	59.694	50.173	54.933	65.923	71.723	65.314	63.759	62.198	
11	T	8.7870	9.7650	7.6902	9.5107	11.3944	10.7508	7.0076	7.9636	72.8693	
	S	66.032	44.407	67.737	59.861	50.025	61.454	83.870	72.517	61.754	
12	T	10.2666			9.0203	14.3392	8.2237	9.1352	6.2618	73.4683	
	S	56.516			63.115	39.751	80.339	64.337	92.226	61.251	
13	T	9.9323			8.9674	10.2647	10.8157	7.8038	7.7905	70.1930	
	S	58.418			63.488	55.530	61.085	75.313	74.129	64.109	
14	T	9.5041			7.1697	10.4022	10.2022	8.7050	7.8881	70.6532	
	S	61.050			79.406	54.796	64.759	67.516	73.212	63.691	
15	T	10.1831			8.0364	9.2692	10.5929	7.6791	9.0874	71.4538	
	S	56.979			70.842	61.494	62.370	76.536	63.550	62.978	
16	T	9.9955			7.6001	10.3797	7.7845	8.8004	9.5061	69.9525	
	S	58.049			74.909	54.915	84.871	66.784	60.750	64.329	
17	T	9.5495			7.2306	8.5629	9.5564	8.4111	9.2381	70.3598	
	S	60.760			78.737	66.566	69.135	69.875	62.513	63.957	
18	T	8.5372	9.1471	7.7248	10.3515	7.8462	11.3312	7.0689	9.0458	71.0527	
	S	67.965	47.407	67.433	54.999	72.647	58.306	83.143	63.842	63.333	
19	T	10.0820	7.3064	5.2227	6.8787	8.2423	9.3821	8.4904	5.1350	60.7396	
	S	57.551	59.350	99.739	82.765	69.155	70.419	69.223	112.463	74.087	

Event: Cooper Tires Indy Pro 2000 of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 13
1.25 mile(s)



Indy Pro 2000 Championship
August 21, 2021

Section Data for Car 51 - Abel, Jacob

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	4.2764	3.6369	4.4353	4.3462	4.0244	5.0456	4.5167	4.0476	34.3291
	S	135.681	119.232	117.446	130.992	141.636	130.942	130.123	142.677	131.084
21	T	3.8329	3.5711	4.4501	4.2905	4.0248	5.0372	4.4401	4.0253	33.6720
	S	151.381	121.429	117.056	132.693	141.622	131.161	132.368	143.468	133.642
22	T	3.8181	3.3965	4.3734	4.3302	4.0836	5.0656	4.4667	4.0759	33.6100
	S	151.968	127.672	119.108	131.476	139.583	130.425	131.580	141.686	133.889
23	T	3.9280	3.4043	4.2977	4.2873	4.0865	4.9078	4.5071	4.1315	33.5502
	S	147.716	127.379	121.206	132.792	139.484	134.619	130.400	139.780	134.127
24	T	3.9649	3.3890	4.2483	4.2505	4.0832	4.9479	4.5432	4.1594	33.5864
	S	146.341	127.954	122.616	133.941	139.596	133.528	129.364	138.842	133.983
25	T	4.0034	3.5863	4.3770	4.2845	4.0415	4.8778	4.4654	4.0955	33.7314
	S	144.934	120.915	119.011	132.879	141.037	135.447	131.618	141.008	133.407
26	T	3.9197	3.3718	4.2368	4.2272	4.0199	4.8028	4.4368	4.0886	33.1036
	S	148.028	128.607	122.949	134.680	141.795	137.562	132.466	141.246	135.937
27	T	3.9178	3.4324	4.2599	4.2286	4.0266	4.8638	4.4433	4.0823	33.2547
	S	148.100	126.336	122.282	134.635	141.559	135.837	132.273	141.464	135.319
28	T	3.9237	3.3911	4.2189	4.2078	4.0323	4.8378	4.4135	4.0608	33.0859
	S	147.878	127.875	123.470	135.301	141.359	136.567	133.166	142.213	136.010
29	T	3.9128	3.3841	4.2009	4.1961	4.0168	4.8401	4.4301	4.0745	33.0554
	S	148.290	128.139	123.999	135.678	141.904	136.502	132.667	141.735	136.135
30	T	3.9145	3.4685	4.2498	4.2202	4.0415	4.8800	4.4621	4.1073	33.3439
	S	148.225	125.021	122.573	134.903	141.037	135.386	131.715	140.603	134.957
31	T	3.9427	3.4237	4.1865	4.2022	4.0315	4.8207	4.4314	4.0715	33.1102
	S	147.165	126.657	124.426	135.481	141.387	137.051	132.628	141.840	135.910
32	T	3.9253	3.4028	4.1886	4.2011	4.0383	4.8177	4.4177	4.0778	33.0693
	S	147.817	127.435	124.364	135.516	141.149	137.136	133.039	141.620	136.078
33	T	3.9304	3.3865	4.1629	4.1962	4.0256	4.8310	4.4254	4.0683	33.0263
	S	147.626	128.049	125.131	135.675	141.594	136.759	132.808	141.951	136.255
34	T	3.9168	3.3551	4.1588	4.1859	4.0297	4.8244	4.4081	4.0717	32.9505
	S	148.138	129.247	125.255	136.009	141.450	136.946	133.329	141.833	136.568
35	T	3.9161	3.3563	4.1948	4.2021	4.0363	4.8238	4.4066	4.0576	32.9936
	S	148.165	129.201	124.180	135.484	141.218	136.963	133.374	142.326	136.390
36	T	3.9084	3.3683	4.1767	4.1961	4.0308	4.7769	4.3670	4.0428	32.8670
	S	148.456	128.740	124.718	135.678	141.411	138.308	134.584	142.847	136.915
37	T	3.8947	3.3422	4.1849	4.2063	4.0334	4.7893	4.3717	4.0372	32.8597
	S	148.979	129.746	124.473	135.349	141.320	137.950	134.439	143.045	136.946
38	T	3.8844	3.3676	4.2040	4.2070	4.0204	4.7736	4.3656	4.0391	32.8617
	S	149.374	128.767	123.908	135.326	141.777	138.403	134.627	142.977	136.938

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 51 - Abel, Jacob

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
39	T	3.8766	3.4194	4.2126	4.1951	4.0049	4.8422	4.5096	4.1048	33.1652	
	S	149.674	126.817	123.655	135.710	142.326	136.442	130.328	140.689	135.684	
40	T	3.9174	3.4033	4.2093	4.2008	4.0151	4.8120	4.4192	4.0478	33.0249	
	S	148.115	127.416	123.752	135.526	141.964	137.299	132.994	142.670	136.261	
41	T	3.8738	3.3987	4.3118	4.2602	4.0339	4.8504	4.4263	4.0513	33.2064	
	S	149.782	127.589	120.810	133.636	141.302	136.212	132.781	142.547	135.516	
42	T	3.8794	3.4627	4.2819	4.2528	4.0367	4.8330	4.4248	4.0728	33.2441	
	S	149.566	125.231	121.654	133.869	141.204	136.702	132.826	141.794	135.362	
43	T	3.9015	3.3909	4.2163	4.2171	4.0257	4.8241	4.4142	4.0642	33.0540	
	S	148.719	127.882	123.546	135.002	141.590	136.954	133.145	142.094	136.141	
44	T	3.9062	3.3681	4.2139	4.2253	4.0356	4.8194	4.3949	4.0720	33.0354	
	S	148.540	128.748	123.617	134.740	141.243	137.088	133.729	141.822	136.218	
45	T	3.8990	3.3694	4.1914	4.2194	4.0334	4.8229	4.3971	4.0590	32.9916	
	S	148.814	128.698	124.280	134.929	141.320	136.988	133.662	142.276	136.398	
46	T	3.9040	3.3414	4.2094	4.2207	4.0386	4.7995	4.3901	4.0605	32.9642	
	S	148.624	129.777	123.749	134.887	141.138	137.656	133.876	142.224	136.512	
47	T	3.9056	3.3292	4.2067	4.2129	4.0353	4.7946	4.3981	4.0523	32.9347	
	S	148.563	130.252	123.828	135.137	141.253	137.797	133.632	142.512	136.634	
48	T	3.8998	3.4173	4.2071	4.2065	4.0379	4.8192	4.4043	4.0630	33.0551	
	S	148.784	126.894	123.817	135.342	141.162	137.094	133.444	142.136	136.136	
49	T	3.8886	3.3445	4.1877	4.2050	4.0292	4.7722	4.3557	4.0340	32.8169	
	S	149.212	129.657	124.390	135.391	141.467	138.444	134.933	143.158	137.124	
50	T	3.8661	3.3744	4.1847	4.1980	4.0149	4.7769	4.3832	4.0265	32.8247	
	S	150.081	128.508	124.479	135.617	141.971	138.308	134.086	143.425	137.092	
51	T	3.8520	3.3918	4.2190	4.2168	3.9972	4.8592	4.6354	4.0833	33.2547	
	S	150.630	127.848	123.467	135.012	142.600	135.965	126.791	141.430	135.319	
52	T	3.8932	3.3950	4.2113	4.1954	3.9812	4.9156	4.4072	4.0228	33.0217	
	S	149.036	127.728	123.693	135.701	143.173	134.405	133.356	143.557	136.274	
53	T	3.8572	3.5768	4.5680	4.3704	4.0770	4.8431	4.4486	4.0923	33.8334	
	S	150.427	121.236	114.034	130.267	139.809	136.417	132.115	141.119	133.005	
54	T	3.9066	3.3445	4.1796	4.1750	3.9858	4.9272	4.4041	4.0049	32.9277	
	S	148.525	129.657	124.631	136.364	143.008	134.089	133.450	144.198	136.663	
55	T	3.8067	3.3512	4.3487	4.2963	4.1064	4.9698	4.4069	4.0566	33.3426	
	S	152.423	129.397	119.785	132.514	138.808	132.939	133.365	142.361	134.962	
56	T	4.0163	4.0009								
	S	144.468	108.385								

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 55 - Gold, Reece (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.8959	3.7393	4.5654	4.3687	4.0650	5.1263	4.6295	4.1909	35.5810	68.9911
	S	118.513	115.967	114.099	130.318	140.221	128.881	126.953	137.799	126.472	58.002
2	T	3.9689	3.4073	4.4135	4.2150	4.0604	5.0117	4.5645	4.1502	33.7915	
	S	146.193	127.267	118.026	135.070	140.380	131.828	128.760	139.150	133.170	
3	T	3.9067	3.5261	4.3938	4.2831	4.0048	4.9258	4.5448	4.1312	33.7163	
	S	148.521	122.979	118.555	132.922	142.329	134.127	129.319	139.790	133.467	
4	T	3.9605	3.3281	4.2440	4.2326	4.0147	4.8344	4.4107	4.0683	33.0933	
	S	146.504	130.295	122.740	134.508	141.978	136.663	133.250	141.951	135.979	
5	T	3.8742	3.2751	4.4483	4.3391	4.0809	4.9556	4.5766	4.1402	33.6900	
	S	149.767	132.404	117.103	131.207	139.675	133.320	128.420	139.486	133.571	
6	T	3.9628	3.3189	4.2763	4.2599	4.0599	4.8070	4.3982	4.0483	33.1313	
	S	146.419	130.657	121.813	133.646	140.398	137.442	133.629	142.652	135.823	
7	T	3.8993	3.2860	4.2389	4.2455	5.0622	6.7733	6.6750	7.1103	41.2905	
	S	148.803	131.965	122.888	134.099	112.599	97.542	88.049	81.220	108.984	
8	T	7.7673	7.2079	8.9523	9.4818	9.3646	8.5551	7.8609	8.9403	68.1302	
	S	74.701	60.161	58.187	60.043	60.868	77.227	74.766	64.595	66.050	
9	T	8.9632	7.1615	9.7440	10.0761	9.5616	10.2500	8.8497	7.8750	72.4811	
	S	64.734	60.551	53.459	56.502	59.613	64.457	66.412	73.333	62.085	
10	T	8.4766	7.2000	10.6631	10.1370	8.9209	9.5150	8.4673	8.5261	71.9060	
	S	68.450	60.227	48.852	56.162	63.895	69.436	69.411	67.733	62.582	
11	T	9.2614	7.1463	9.5321	9.8602	9.8456	9.6707	8.8776	8.7622	72.9561	
	S	62.650	60.680	54.648	57.739	57.894	68.318	66.203	65.908	61.681	
12	T				9.9270	11.7954	10.7354	7.7767	7.1777	72.9629	
	S				57.350	48.324	61.542	75.575	80.458	61.675	
13	T	9.1221			10.2364	9.8788	9.3022	7.8533	8.4892	69.5555	
	S	63.607			55.617	57.699	71.024	74.838	68.028	64.697	
14	T	9.9081			8.5303	10.3669	10.8690	7.4905	8.3659	71.8306	
	S	58.561			66.741	54.983	60.786	78.463	69.030	62.647	
15	T	9.9678			8.6082	9.5717	9.9159	8.1532	7.9993	70.4200	
	S	58.210			66.137	59.551	66.629	72.085	72.194	63.902	
16	T	9.6210			8.1927	8.7873	9.8575	8.3628	9.7338	70.7444	
	S	60.308			69.491	64.866	67.023	70.279	59.329	63.609	
17	T	9.6018			8.7523	8.5688	9.3139	8.3830	8.5826	69.6309	
	S	60.429			65.048	66.520	70.935	70.109	67.287	64.626	
18	T	9.8761	6.3986	9.5299	10.6304	8.1252	9.9098	7.8033	9.7962	72.0695	
	S	58.751	67.771	54.660	53.556	70.152	66.670	75.318	58.951	62.440	
19	T	8.3579	5.8750	7.1750	8.6404	8.5140	9.7573	8.4864	5.0871	61.8931	
	S	69.423	73.810	72.601	65.890	66.949	67.712	69.255	113.522	72.706	

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 55 - Gold, Reece (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	4.2371	3.5257	4.6542	4.4444	4.0568	5.1012	4.6725	4.2513	34.9432
	S	136.940	122.993	111.922	128.098	140.505	129.515	125.784	135.841	128.780
21	T	3.9988	3.5266	4.4092	4.3047	4.0399	4.9465	4.5232	4.1493	33.8982
	S	145.100	122.962	118.141	132.255	141.093	133.566	129.936	139.180	132.750
22	T	3.9365	3.4245	4.4545	4.3237	4.0061	5.0569	4.6200	4.1362	33.9584
	S	147.397	126.628	116.940	131.674	142.283	130.650	127.214	139.621	132.515
23	T	3.9320	3.4944	4.4785	4.3592	3.9700	5.0407	4.6519	4.2246	34.1513
	S	147.565	124.095	116.313	130.602	143.577	131.069	126.341	136.699	131.767
24	T	3.9905	3.5518	4.4788	4.2882	3.9819	5.0972	4.5196	4.1024	34.0104
	S	145.402	122.089	116.306	132.764	143.148	129.617	130.040	140.771	132.312
25	T	3.8750	3.4475	4.3801	4.2821	4.0050	4.9183	4.5018	4.0918	33.5016
	S	149.736	125.783	118.926	132.953	142.322	134.331	130.554	141.136	134.322
26	T	3.8858	3.4320	4.3442	4.2777	4.0063	4.8531	4.4171	4.0541	33.2703
	S	149.320	126.351	119.909	133.090	142.276	136.136	133.057	142.448	135.256
27	T	3.8629	3.4266	4.3323	4.2494	3.9910	4.8112	4.3925	4.0166	33.0825
	S	150.205	126.550	120.238	133.976	142.821	137.322	133.802	143.778	136.024
28	T	3.8366	3.3674	4.4280	4.3067	4.0148	4.7963	4.3972	4.0328	33.1798
	S	151.235	128.775	117.640	132.194	141.975	137.748	133.659	143.201	135.625
29	T	3.8605	3.3932	4.3274	4.2523	3.9910	4.7863	4.3905	4.0102	33.0114
	S	150.298	127.796	120.375	133.885	142.821	138.036	133.863	144.008	136.317
30	T	3.8278	3.4908	4.4782	4.3216	4.0340	4.9033	4.4222	4.0932	33.5711
	S	151.582	124.223	116.321	131.738	141.299	134.742	132.904	141.088	134.044
31	T	3.9160	3.4013	4.3364	4.2642	4.0114	4.7962	4.3800	4.0403	33.1458
	S	148.168	127.491	120.125	133.511	142.095	137.751	134.184	142.935	135.764
32	T	3.8992	3.3121	4.4055	4.3183	4.0333	4.8040	4.3475	4.0293	33.1492
	S	148.807	130.925	118.241	131.838	141.323	137.527	135.187	143.325	135.750
33	T	3.8764	3.2816	4.2949	4.2248	3.9728	4.8460	4.3717	4.0048	32.8730
	S	149.682	132.142	121.285	134.756	143.476	136.335	134.439	144.202	136.890
34	T	3.8281	3.4192	4.3546	4.2910	4.0130	4.8897	4.4275	4.0592	33.2823
	S	151.571	126.824	119.623	132.677	142.038	135.117	132.745	142.269	135.207
35	T	3.8914	3.3142	4.3355	4.2571	4.0052	4.8015	4.3945	4.0258	33.0252
	S	149.105	130.842	120.150	133.734	142.315	137.599	133.742	143.450	136.260
36	T	3.8688	3.3070	4.2729	4.2239	3.9911	4.8180	4.3524	4.0201	32.8542
	S	149.976	131.127	121.910	134.785	142.818	137.128	135.035	143.653	136.969
37	T	3.8557	3.3933	4.3450	4.2759	4.0182	4.7658	4.3743	4.0291	33.0573
	S	150.486	127.792	119.887	133.146	141.855	138.630	134.359	143.332	136.127
38	T	3.8670	3.2795	4.3768	4.2844	4.0275	4.8832	4.4308	4.1148	33.2640
	S	150.046	132.226	119.016	132.882	141.527	135.297	132.646	140.347	135.281

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 55 - Gold, Reece (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.9332	3.4161	4.3037	4.2822	4.0453	4.7798	4.3621	4.0185	33.1409
	S	147.520	126.939	121.038	132.950	140.904	138.224	134.735	143.710	135.784
40	T	3.8715	3.2884	4.2229	4.2042	4.0004	4.7334	4.3062	3.9767	32.6037
	S	149.871	131.868	123.353	135.417	142.486	139.579	136.484	145.221	138.021
41	T	3.8426	3.2451	4.4110	4.3396	4.0420	4.8487	4.3526	4.0227	33.1043
	S	150.999	133.628	118.093	131.191	141.019	136.260	135.029	143.560	135.934
42	T	3.8621	3.2669	4.4662	4.3369	4.0590	4.7576	4.3290	4.0088	33.0865
	S	150.236	132.736	116.634	131.273	140.429	138.869	135.765	144.058	136.007
43	T	3.8740	3.2786	4.2482	4.2335	4.0003	4.8021	4.3474	4.0197	32.8038
	S	149.775	132.263	122.619	134.479	142.489	137.582	135.191	143.667	137.179
44	T	3.8651	3.2494	4.2992	4.2530	3.9985	4.7755	4.3232	3.9888	32.7527
	S	150.120	133.451	121.164	133.863	142.553	138.348	135.947	144.780	137.393
45	T	3.8239	3.2126	4.4056	4.3003	4.0181	4.8041	4.3497	4.0004	32.9147
	S	151.737	134.980	118.238	132.390	141.858	137.525	135.119	144.361	136.717
46	T	3.8380	3.3870	4.3332	4.2726	4.0114	4.7231	4.3216	3.9848	32.8717
	S	151.180	128.030	120.213	133.249	142.095	139.883	135.998	144.926	136.896
47	T	3.8192	3.4084	4.4172	4.2920	4.0264	4.8076	4.3790	4.0088	33.1586
	S	151.924	127.226	117.927	132.646	141.566	137.424	134.215	144.058	135.711
48	T	3.8336	3.4664	4.4263	4.2880	4.0205	4.7982	4.3830	4.0293	33.2453
	S	151.353	125.097	117.685	132.770	141.773	137.694	134.092	143.325	135.357
49	T	3.8423	3.3678	4.3433	4.2643	4.0143	4.9408	4.4813	4.0836	33.3377
	S	151.010	128.760	119.934	133.508	141.992	133.720	131.151	141.419	134.982
50	T	3.8977	3.2959	4.2659	4.2338	4.0076	4.7875	4.3900	4.0316	32.9100
	S	148.864	131.568	122.110	134.470	142.230	138.001	133.879	143.243	136.737
51	T	3.8438	3.2770	4.4102	4.2811	4.0179	4.7674	4.3288	4.0093	32.9355
	S	150.951	132.327	118.115	132.984	141.865	138.583	135.771	144.040	136.631
52	T	3.8418	3.2471	4.3472	4.2761	4.0048	4.7576	4.3255	3.9885	32.7886
	S	151.030	133.546	119.826	133.140	142.329	138.869	135.875	144.791	137.243
53	T	3.8399	3.2892	4.4593	4.2641	3.9987	4.8035	4.3799	4.0234	33.0580
	S	151.105	131.836	116.814	133.514	142.546	137.542	134.187	143.535	136.124
54	T	3.8256	3.4164	4.3502	4.2514	4.0089	4.8663	4.4190	4.0732	33.2110
	S	151.670	126.928	119.744	133.913	142.184	135.767	133.000	141.780	135.497
55	T	3.8873	3.3152	4.4462	4.2708	4.0111	4.8309	4.4091	4.0501	33.2207
	S	149.262	130.802	117.158	133.305	142.106	136.762	133.299	142.589	135.458
56	T	4.1831								
	S	138.707								

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 7 - Enders, Kory

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.9548	4.0348	4.5552	4.4579	4.0990	5.3469	4.8323	4.3821	36.6630	62.5191
	S	117.104	107.474	114.355	127.710	139.058	123.564	121.625	131.786	122.740	64.006
2	T	4.0439	3.5214	4.3278	4.2083	3.9683	4.8817	4.4929	4.1612	33.6055	
	S	143.482	123.143	120.363	135.285	143.638	135.338	130.812	138.782	133.907	
3	T	4.0167	3.4522	4.3723	4.2676	4.0221	4.8006	4.4009	4.0352	33.3676	
	S	144.454	125.612	119.138	133.405	141.717	137.625	133.547	143.116	134.861	
4	T	3.8753	3.4612	4.6106	4.2952	3.9649	4.8602	4.3876	4.0091	33.4641	
	S	149.724	125.285	112.981	132.548	143.762	135.937	133.952	144.047	134.472	
5	T	3.8855	3.4547	4.3518	4.2198	3.9632	4.9521	4.4576	4.0417	33.3264	
	S	149.331	125.521	119.700	134.916	143.823	133.414	131.848	142.885	135.028	
6	T	3.8480	3.8855	5.1034	4.5956	4.1752	5.0159	4.5094	4.1190	35.2520	
	S	150.787	111.604	102.071	123.883	136.520	131.718	130.334	140.204	127.652	
7	T	3.9542	3.5977	5.1818	4.8938	4.3278	5.8978	6.5386	7.4028	41.7945	
	S	146.737	120.532	100.527	116.335	131.707	112.022	89.886	78.011	107.670	
8	T	7.2304	7.1778	9.6920	8.1432	10.2885	8.9782	7.4777	9.3132	68.3010	
	S	80.248	60.414	53.746	69.913	55.402	73.587	78.597	62.009	65.885	
9	T	8.8105	7.2172	9.2416	10.6246	9.4556	9.8369	8.6145	8.7401	72.5410	
	S	65.856	60.084	56.366	53.585	60.282	67.164	68.225	66.075	62.034	
10	T	8.3377	6.9749	10.5081	11.0304	8.2997	9.8582	8.4228	8.5780	72.0098	
	S	69.591	62.171	49.572	51.614	68.677	67.019	69.778	67.323	62.491	
11	T	8.5703	9.6511	8.8472	9.3254	10.3997	11.7954	6.6953	8.5177	73.8021	
	S	67.702	44.931	58.878	61.050	54.809	56.012	87.782	67.800	60.974	
12	T				7.9347	13.9923	8.6893	9.1795	7.3551	74.2221	
	S				71.750	40.737	76.034	64.026	78.517	60.629	
13	T	8.0020			7.9673	10.3349	10.9656	7.2969	8.3200	69.0162	
	S	72.510			71.457	55.153	60.250	80.545	69.411	65.202	
14	T				8.3099	8.9005	10.5587	8.7003	7.2543	70.1464	
	S				68.511	64.041	62.572	67.553	79.608	64.152	
15	T	10.7184			8.4093	8.1741	11.3087	7.5457	10.0200	72.9247	
	S	54.134			67.701	69.732	58.422	77.889	57.635	61.707	
16	T	8.8919			8.1836	10.9021	7.5588	7.7536	9.4015	69.6012	
	S	65.253			69.568	52.284	87.406	75.801	61.426	64.654	
17	T	8.1184			7.9454	9.9013	9.1991	6.2044	9.8685	70.3332	
	S	71.471			71.654	57.568	71.820	94.727	58.520	63.981	
18	T	7.8442	8.7928	8.8409	10.1125	8.2968	12.4533	6.2079	8.0728	70.6212	
	S	73.969	49.317	58.920	56.298	68.701	53.053	94.674	71.537	63.720	
19	T	9.7546	7.7961	5.0299	5.8677	7.7065	9.2151	8.3601	5.0829	58.8129	
	S	59.482	55.622	103.563	97.026	73.964	71.696	70.301	113.616	76.514	

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 7 - Enders, Kory

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	4.2882	3.7984	4.5911	4.4163	4.0980	4.9618	4.4918	4.0987	34.7443
	S	135.308	114.163	113.461	128.913	139.092	133.154	130.844	140.898	129.518
21	T	3.9505	3.5318	4.4400	4.2801	4.0260	4.9159	4.5148	4.1191	33.7782
	S	146.874	122.781	117.322	133.015	141.580	134.397	130.178	140.201	133.222
22	T	3.9446	3.4946	4.2698	4.2310	3.9644	4.9567	4.5304	4.0866	33.4781
	S	147.094	124.088	121.998	134.559	143.780	133.291	129.730	141.316	134.416
23	T	3.8937	3.4319	4.3503	4.2172	3.9621	5.0111	4.5268	4.0709	33.4640
	S	149.017	126.355	119.741	134.999	143.863	131.844	129.833	141.861	134.473
24	T	3.9126	3.5347	4.5537	4.3268	4.0368	4.9725	4.6006	4.1270	34.0647
	S	148.297	122.680	114.392	131.580	141.201	132.867	127.750	139.932	132.102
25	T	3.9031	3.4416	4.3593	4.2306	3.9745	4.9815	4.5110	4.0887	33.4903
	S	148.658	125.998	119.494	134.571	143.414	132.627	130.288	141.243	134.367
26	T	3.8939	3.4740	4.3341	4.2440	3.9834	4.9196	4.4974	4.0938	33.4402
	S	149.009	124.823	120.189	134.147	143.094	134.296	130.682	141.067	134.569
27	T	3.9132	3.3995	4.2945	4.2224	3.9874	4.9263	4.4635	4.0897	33.2965
	S	148.274	127.559	121.297	134.833	142.950	134.113	131.674	141.208	135.149
28	T	3.9309	3.3593	4.2009	4.1599	3.9481	4.8381	4.4144	4.0298	32.8814
	S	147.607	129.085	123.999	136.859	144.373	136.558	133.139	143.307	136.855
29	T	3.8800	3.4250	4.2304	4.1837	3.9521	4.9692	4.3737	4.0365	33.0506
	S	149.543	126.609	123.135	136.080	144.227	132.955	134.378	143.069	136.155
30	T	3.8928	3.4024	4.2430	4.2195	4.0696	5.0778	4.6652	4.2392	33.8095
	S	149.051	127.450	122.769	134.926	140.063	130.112	125.981	136.229	133.099
31	T	4.0259	3.4091	4.1839	4.1837	4.0002	4.8651	4.4468	4.0599	33.1746
	S	144.124	127.200	124.503	136.080	142.493	135.800	132.169	142.245	135.646
32	T	3.9156	3.4056	4.2553	4.2220	4.0118	4.8120	4.3741	4.0341	33.0305
	S	148.183	127.330	122.414	134.846	142.081	137.299	134.365	143.155	136.238
33	T	3.9134	3.3872	4.1731	4.1927	3.9883	4.7610	4.4580	4.0454	32.9191
	S	148.267	128.022	124.825	135.788	142.918	138.770	131.837	142.755	136.699
34	T	3.8902	3.3358	4.2072	4.1758	3.9587	4.9135	4.4265	4.0300	32.9377
	S	149.151	129.995	123.814	136.338	143.987	134.463	132.775	143.300	136.622
35	T	3.8692	3.4177	4.2665	4.1824	3.9425	4.9704	4.4322	4.0457	33.1266
	S	149.961	126.880	122.093	136.122	144.578	132.923	132.604	142.744	135.842
36	T	3.9049	3.3955	4.2738	4.2117	3.9977	4.7516	4.3522	3.9955	32.8829
	S	148.590	127.709	121.884	135.175	142.582	139.044	135.041	144.538	136.849
37	T	3.8574	3.3795	4.2457	4.2025	3.9626	4.9031	4.4027	3.9934	32.9469
	S	150.419	128.314	122.691	135.471	143.845	134.748	133.492	144.614	136.583
38	T	3.8327	3.3707	4.2490	4.1639	3.9913	4.8811	4.4352	4.0769	33.0008
	S	151.389	128.649	122.596	136.727	142.811	135.355	132.514	141.652	136.360

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 7 - Enders, Kory

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.9540	3.3785	4.4485	4.3632	4.0801	4.9206	4.4364	4.0370	33.6183
	S	146.744	128.352	117.098	130.482	139.702	134.269	132.478	143.052	133.856
40	T	3.8904	3.3933	4.2569	4.2455	4.0330	4.7707	4.3592	4.0239	32.9729
	S	149.143	127.792	122.368	134.099	141.334	138.487	134.825	143.517	136.476
41	T	3.9052	3.3750	4.1848	4.2182	4.0243	4.8401	4.3858	4.0342	32.9676
	S	148.578	128.485	124.476	134.967	141.640	136.502	134.007	143.151	136.498
42	T	3.8856	3.3392	4.2418	4.2492	4.0312	4.8016	4.3734	4.0266	32.9486
	S	149.328	129.862	122.804	133.982	141.397	137.596	134.387	143.421	136.576
43	T	3.9054	3.3555	4.2141	4.2115	4.0080	4.7694	4.3623	4.0192	32.8454
	S	148.571	129.232	123.611	135.182	142.216	138.525	134.729	143.685	137.005
44	T	3.8946	3.3508	4.2598	4.2568	4.0295	4.7403	4.3403	4.0131	32.8852
	S	148.983	129.413	122.285	133.743	141.457	139.376	135.412	143.904	136.840
45	T	3.8846	3.3113	4.3164	4.2804	4.0540	4.7379	4.3472	4.0432	32.9750
	S	149.366	130.957	120.681	133.006	140.602	139.446	135.197	142.832	136.467
46	T	3.9097	3.2816	4.3042	4.2540	4.0319	4.7266	4.3527	4.0236	32.8843
	S	148.407	132.142	121.023	133.831	141.373	139.780	135.026	143.528	136.843
47	T	3.8918	3.3173	4.2338	4.2215	4.0099	4.7286	4.3932	4.0182	32.8143
	S	149.090	130.720	123.036	134.862	142.148	139.720	133.781	143.721	137.135
48	T	3.8878	3.3471	4.2545	4.2001	3.9507	4.9369	4.3915	3.9883	32.9569
	S	149.243	129.556	122.437	135.549	144.278	133.825	133.833	144.799	136.542
49	T	3.8153	3.3725	4.3501	4.2016	3.9389	5.0000	4.6778	4.2339	33.5901
	S	152.079	128.580	119.746	135.500	144.710	132.136	125.642	136.399	133.968
50	T	4.0011	3.3686	4.2229	4.2210	4.0352	4.7389	4.3559	4.0117	32.9553
	S	145.017	128.729	123.353	134.878	141.257	139.417	134.927	143.954	136.549
51	T	3.8550	3.3431	4.2004	4.2248	3.9840	4.8044	4.4078	4.0226	32.8421
	S	150.513	129.711	124.014	134.756	143.072	137.516	133.338	143.564	137.019
52	T	3.8776	3.3329	4.3095	4.2429	4.0023	4.7294	4.3441	4.0038	32.8425
	S	149.636	130.108	120.875	134.181	142.418	139.697	135.293	144.238	137.018
53	T	3.8789	3.3281	4.2597	4.2064	3.9733	4.7759	4.4078	4.0130	32.8431
	S	149.586	130.295	122.288	135.346	143.458	138.337	133.338	143.907	137.015
54	T	3.8421	3.4046	4.2573	4.1723	4.0238	5.0520	4.3945	3.9998	33.1464
	S	151.018	127.368	122.357	136.452	141.657	130.776	133.742	144.382	135.761
55	T	3.8110	3.3245	4.3191	4.3388	4.0880	4.9216	4.3973	4.0083	33.2086
	S	152.251	130.437	120.606	131.216	139.432	134.241	133.656	144.076	135.507
56	T	4.1337								
	S	140.365								

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.9086	3.8477	4.4995	4.2457	4.0925	5.3815	4.5314	4.0833	35.5902	66.9623
	S	118.206	112.700	115.770	134.093	139.279	122.769	129.701	141.430	126.439	59.759
2	T	3.9056	3.7194	4.5030	4.3342	4.0594	5.1776	4.4635	4.0251	34.1878	
	S	148.563	116.588	115.680	131.355	140.415	127.604	131.674	143.475	131.626	
3	T	3.8324	3.3566	4.3809	4.1946	3.9783	5.1471	4.4317	3.9425	33.2641	
	S	151.400	129.189	118.905	135.726	143.277	128.360	132.619	146.481	135.281	
4	T	3.8096	3.5279	4.5072	4.2467	4.0549	5.0791	4.4559	4.0145	33.6958	
	S	152.307	122.916	115.573	134.061	140.571	130.079	131.899	143.854	133.548	
5	T	3.8576	3.4547	4.4083	4.2463	4.0474	5.0948	4.4586	4.0618	33.6295	
	S	150.411	125.521	118.166	134.074	140.831	129.678	131.819	142.178	133.811	
6	T	3.8872	3.3403	4.4381	4.3047	4.0948	5.0531	4.4642	4.0388	33.6212	
	S	149.266	129.820	117.372	132.255	139.201	130.748	131.653	142.988	133.844	
7	T	3.9073	3.4518	4.5931	4.5463	4.4160	6.6468	6.7306	7.0771	41.3690	
	S	148.498	125.626	113.411	125.227	129.076	99.398	87.322	81.601	108.777	
8	T	7.3801	7.1817	9.1281	9.1604	9.6070	8.3624	7.6227	9.2073	67.6497	
	S	78.621	60.381	57.067	62.150	59.332	79.006	77.102	62.722	66.519	
9	T	9.3922	6.7682	9.8146	9.9210	9.9646	9.8618	8.9235	7.6142	72.2601	
	S	61.778	64.070	53.075	57.385	57.202	66.994	65.863	75.845	62.275	
10	T	8.7796	7.2932	10.3777	10.2977	8.8436	9.3680	8.4331	8.8059	72.1988	
	S	66.088	59.458	50.195	55.286	64.453	70.525	69.693	65.581	62.328	
11	T	9.2604	9.5900	7.8058	9.7347	11.4492	10.5452	6.4361	8.4456	73.2670	
	S	62.657	45.218	66.734	58.483	49.785	62.652	91.317	68.379	61.419	
12	T				9.1362	14.4353	8.2181	8.6067	6.8507	73.5754	
	S				62.315	39.487	80.393	68.287	84.298	61.162	
13	T	9.3267			8.8276	10.7135	10.5185	7.3217	7.7817	69.7973	
	S	62.211			64.493	53.204	62.811	80.272	74.213	64.472	
14	T	9.9109			7.8447	10.2723	10.3099	7.9551	8.1018	70.8197	
	S	58.544			72.574	55.489	64.082	73.881	71.280	63.542	
15	T	10.3064			8.3083	9.0440	10.9759	7.4168	9.0526	71.6498	
	S	56.298			68.524	63.025	60.194	79.243	63.794	62.805	
16	T	8.7509			7.9722	8.5275	10.2824	8.3504	9.6933	70.0466	
	S	66.305			71.413	66.843	64.254	70.383	59.577	64.243	
17	T	9.5119			7.2882	8.3850	9.5526	8.5241	8.5546	69.5044	
	S	61.000			78.115	67.979	69.163	68.949	67.508	64.744	
18	T	9.1113	9.0520	7.2868	11.2158	7.7815	11.3120	6.7833	9.0031	71.5458	
	S	63.682	47.905	71.487	50.760	73.251	58.405	86.643	64.145	62.897	
19	T	10.6972	7.1121	5.0613	7.1533	8.1838	9.4315	8.6549	5.1477	61.4418	
	S	54.241	60.972	102.920	79.588	69.650	70.051	67.907	112.186	73.240	

Event: Cooper Tires Indy Pro 2000 of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race

Round 13
1.25 mile(s)



Indy Pro 2000 Championship
August 21, 2021

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	4.2802	3.5099	4.4326	4.2515	3.9751	5.0534	4.5160	4.1192	34.1379
	S	135.561	123.547	117.518	133.910	143.393	130.740	130.143	140.197	131.818
21	T	3.9480	3.3055	4.3388	4.2768	4.0543	4.8841	4.4618	4.1418	33.4111
	S	146.967	131.186	120.058	133.118	140.591	135.272	131.724	139.432	134.686
22	T	3.9506	3.3426	4.3042	4.2878	4.0715	4.7214	4.3771	4.0474	33.1026
	S	146.871	129.730	121.023	132.776	139.998	139.933	134.273	142.684	135.941
23	T	3.8940	3.3053	4.2790	4.2676	4.0626	4.7272	4.3741	4.0450	32.9548
	S	149.005	131.194	121.736	133.405	140.304	139.762	134.365	142.769	136.551
24	T	3.8921	3.3267	4.2424	4.2449	4.0450	4.7412	4.3901	4.0421	32.9245
	S	149.078	130.350	122.786	134.118	140.915	139.349	133.876	142.871	136.676
25	T	3.8798	3.3187	4.2733	4.2611	4.0486	4.7473	4.4018	4.0768	33.0074
	S	149.551	130.665	121.899	133.608	140.789	139.170	133.520	141.655	136.333
26	T	3.9211	3.3294	4.2346	4.2444	4.0486	4.7540	4.3910	4.0560	32.9791
	S	147.976	130.245	123.013	134.134	140.789	138.974	133.848	142.382	136.450
27	T	3.9018	3.3413	4.2117	4.2193	4.0367	4.7837	4.3905	4.0639	32.9489
	S	148.708	129.781	123.681	134.932	141.204	138.111	133.863	142.105	136.575
28	T	3.8975	3.3133	4.3869	4.3205	4.0693	4.8086	4.3718	4.0686	33.2365
	S	148.872	130.877	118.742	131.771	140.073	137.396	134.436	141.941	135.393
29	T	3.9179	3.3408	4.2085	4.2151	4.0471	4.8260	4.4036	4.0945	33.0535
	S	148.096	129.800	123.775	135.066	140.842	136.901	133.465	141.043	136.143
30	T	3.9381	3.3027	4.2004	4.2190	4.0464	4.7150	4.3641	4.0440	32.8297
	S	147.337	131.298	124.014	134.941	140.866	140.123	134.673	142.804	137.071
31	T	3.9043	3.3172	4.2045	4.2128	4.0452	4.7375	4.3552	4.0556	32.8323
	S	148.612	130.724	123.893	135.140	140.908	139.458	134.948	142.396	137.060
32	T	3.9082	3.2644	4.2206	4.2212	4.0525	4.7462	4.3514	4.0521	32.8166
	S	148.464	132.838	123.421	134.871	140.654	139.202	135.066	142.519	137.126
33	T	3.9096	3.2937	4.2200	4.2261	4.0283	4.6997	4.3023	4.0345	32.7142
	S	148.411	131.656	123.438	134.715	141.499	140.580	136.608	143.140	137.555
34	T	3.8943	3.3365	4.2478	4.2324	4.0467	4.7638	4.3387	4.0479	32.9081
	S	148.994	129.967	122.630	134.514	140.856	138.688	135.462	142.667	136.744
35	T	3.8997	3.3413	4.1994	4.2157	4.0402	4.7070	4.3025	4.0292	32.7350
	S	148.788	129.781	124.044	135.047	141.082	140.362	136.601	143.329	137.468
36	T	3.8935	3.3088	4.2073	4.2159	4.0389	4.7042	4.3116	4.0276	32.7078
	S	149.025	131.055	123.811	135.041	141.128	140.445	136.313	143.386	137.582
37	T	3.8911	3.3069	4.1795	4.2129	4.0314	4.6904	4.3052	4.0165	32.6339
	S	149.117	131.131	124.634	135.137	141.390	140.858	136.516	143.782	137.893
38	T	3.8740	3.3118	4.2564	4.2391	4.0372	4.7245	4.3330	4.0245	32.8005
	S	149.775	130.937	122.383	134.302	141.187	139.842	135.640	143.496	137.193

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 8 - Siegel, Nolan (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.8827	3.3211	4.2265	4.2200	4.0307	4.7101	4.3348	4.0123	32.7382
	S	149.439	130.570	123.248	134.910	141.415	140.269	135.583	143.932	137.454
40	T	3.8682	3.3381	4.2971	4.2575	4.0496	4.6977	4.3264	4.0018	32.8364
	S	149.999	129.905	121.223	133.721	140.755	140.639	135.847	144.310	137.043
41	T	3.8636	3.2942	4.2451	4.2345	4.0258	4.7662	4.4138	4.0533	32.8965
	S	150.178	131.636	122.708	134.448	141.587	138.618	133.157	142.477	136.793
42	T	3.9014	3.3375	4.2191	4.2411	4.0522	4.8435	4.3125	4.0134	32.9207
	S	148.723	129.928	123.465	134.238	140.664	136.406	136.285	143.893	136.692
43	T	3.8763	3.3002	4.2171	4.2406	4.0555	4.8057	4.3004	4.0099	32.8057
	S	149.686	131.397	123.523	134.254	140.550	137.479	136.668	144.019	137.171
44	T	3.8750	3.2881	4.2141	4.2212	4.0291	4.7479	4.3236	3.9993	32.6983
	S	149.736	131.881	123.611	134.871	141.471	139.152	135.935	144.400	137.622
45	T	3.8576	3.2904	4.2900	4.2598	4.0452	4.8126	4.3211	4.0136	32.8903
	S	150.411	131.788	121.424	133.649	140.908	137.282	136.013	143.886	136.818
46	T	3.8717	3.3097	4.2658	4.2554	4.0450	4.8321	4.3357	4.0211	32.9365
	S	149.864	131.020	122.113	133.787	140.915	136.728	135.555	143.617	136.627
47	T	3.8885	3.3181	4.2223	4.2321	4.0555	4.8165	4.3184	4.0126	32.8640
	S	149.216	130.688	123.371	134.524	140.550	137.171	136.098	143.922	136.928
48	T	3.8740	3.2976	4.2589	4.2415	4.0584	4.7935	4.4021	4.0674	32.9934
	S	149.775	131.501	122.311	134.226	140.449	137.829	133.511	141.983	136.391
49	T	3.9055	3.3112	4.2506	4.2386	4.0673	4.7324	4.3746	4.0491	32.9293
	S	148.567	130.960	122.550	134.318	140.142	139.608	134.350	142.624	136.656
50	T	3.8892	3.2899	4.2126	4.2347	4.0574	4.7112	4.3621	4.0373	32.7944
	S	149.189	131.808	123.655	134.441	140.484	140.236	134.735	143.041	137.219
51	T	3.8877	3.2796	4.2178	4.2405	4.0498	4.6982	4.3522	4.0321	32.7579
	S	149.247	132.222	123.503	134.257	140.748	140.624	135.041	143.226	137.371
52	T	3.8790	3.2785	4.2633	4.2534	4.0507	4.7054	4.3439	4.0313	32.8055
	S	149.582	132.267	122.184	133.850	140.716	140.409	135.299	143.254	137.172
53	T	3.8859	3.2946	4.2260	4.2408	4.0552	4.7464	4.2778	4.0192	32.7459
	S	149.316	131.620	123.263	134.248	140.560	139.196	137.390	143.685	137.422
54	T	3.8801	3.2522	4.2490	4.2433	4.0624	4.7980	4.3046	4.0098	32.7994
	S	149.539	133.336	122.596	134.169	140.311	137.699	136.535	144.022	137.198
55	T	3.8712	3.2341	4.2627	4.2563	4.0581	4.7207	4.3563	4.0402	32.7996
	S	149.883	134.083	122.202	133.759	140.460	139.954	134.914	142.938	137.197
56	T	4.3145	4.5790	6.3839						
	S	134.483	94.701	81.597						

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 91 - Eves, Braden

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.9529	3.7818	4.4055	4.2386	4.1063	4.8336	4.4209	4.1317	34.8713	70.6361
	S	117.149	114.664	118.241	134.318	138.811	136.685	132.943	139.773	129.046	56.651
2	T	4.0115	3.3977	4.1265	4.2055	4.0998	4.7475	4.3408	4.0778	33.0071	
	S	144.641	127.626	126.235	135.375	139.031	139.164	135.396	141.620	136.334	
3	T	3.9751	3.2666	4.1008	4.1860	4.0959	4.7519	4.3394	4.0642	32.7799	
	S	145.965	132.749	127.026	136.005	139.164	139.035	135.440	142.094	137.279	
4	T	3.9623	3.2948	4.0913	4.1778	4.0748	4.7202	4.3162	4.0545	32.6919	
	S	146.437	131.612	127.321	136.272	139.884	139.969	136.168	142.434	137.649	
5	T	3.9550	3.2939	4.0846	4.1705	4.0712	4.7291	4.3209	4.0543	32.6795	
	S	146.707	131.648	127.530	136.511	140.008	139.706	136.020	142.441	137.701	
6	T	3.9497	3.2848	4.1200	4.1874	4.0851	4.7240	4.3378	4.0595	32.7483	
	S	146.904	132.013	126.434	135.960	139.531	139.856	135.490	142.259	137.412	
7	T	3.9531	3.3313	4.1143	4.1831	4.6397	6.9465	6.7079	7.2678	41.1437	
	S	146.778	130.170	126.609	136.100	122.853	95.110	87.617	79.460	109.373	
8	T	7.2051	6.4537	9.3206	10.0155	8.2960	9.8053	9.2843	8.4599	68.8404	
	S	80.530	67.192	55.888	56.844	68.708	67.380	63.303	68.263	65.369	
9	T	7.6623	8.7723	10.3124	9.0240	9.1122	11.2982	9.1040	7.5924	72.8778	
	S	75.725	49.432	50.513	63.089	62.553	58.477	64.557	76.063	61.747	
10	T	8.5330	8.2122	10.0387	9.3477	9.0087	9.5636	9.1285	8.7168	72.5492	
	S	67.998	52.804	51.890	60.905	63.272	69.083	64.384	66.251	62.027	
11	T	8.8310	7.8940	9.6800	9.7350	9.1045	9.4963	9.2012	8.5324	72.4744	
	S	65.703	54.932	53.813	58.482	62.606	69.573	63.875	67.683	62.091	
12	T				10.7548	7.2266	11.5006	7.4349	9.7844	72.1802	
	S				52.936	78.875	57.448	79.050	59.023	62.344	
13	T	8.3254			10.6538	7.6276	10.0723	8.8785	8.8076	69.6586	
	S	69.694			53.438	74.729	65.594	66.197	65.568	64.601	
14	T	9.5056			8.8526	10.4862	8.6800	8.5809	7.6966	70.4354	
	S	61.041			64.311	54.357	76.115	68.492	75.033	63.888	
15	T	9.9329			9.8030	9.8379	8.9221	8.8932	8.4705	72.0412	
	S	58.415			58.076	57.939	74.050	66.087	68.178	62.464	
16	T				9.0082	8.1986	10.8078	8.5744	8.2092	70.0233	
	S				63.200	69.524	61.130	68.544	70.348	64.264	
17	T	9.5696			8.8263	8.8607	10.6388	8.6924	8.1759	71.0622	
	S	60.632			64.502	64.329	62.101	67.614	70.634	63.325	
18	T	9.3090	7.3538	9.6698	8.9331	8.8520	9.9405	8.3821	8.5343	70.9746	
	S	62.330	58.968	53.870	63.731	64.392	66.464	70.117	67.668	63.403	
19	T	9.1564	6.1382	7.9119	9.1915	8.6454	10.3829	8.5953	5.1454	65.1670	
	S	63.368	70.646	65.839	61.940	65.931	63.632	68.378	112.236	69.053	

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 91 - Eves, Braden

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	4.3591	3.5249	4.3109	4.2493	4.1117	4.7815	4.3710	4.1001	33.8085
	S	133.107	123.021	120.835	133.979	138.629	138.175	134.461	140.850	133.103
21	T	3.9754	3.3614	4.1278	4.1873	4.0817	4.7376	4.3589	4.0702	32.9003
	S	145.954	129.005	126.195	135.963	139.648	139.455	134.834	141.885	136.777
22	T	3.9570	3.2950	4.1005	4.1831	4.0687	4.7234	4.3213	4.0598	32.7088
	S	146.633	131.604	127.036	136.100	140.094	139.874	136.007	142.248	137.578
23	T	3.9470	3.3041	4.0807	4.1721	4.0652	4.7147	4.2971	4.0511	32.6320
	S	147.005	131.242	127.652	136.458	140.215	140.132	136.773	142.554	137.901
24	T	3.9439	3.3171	4.1044	4.1766	4.0694	4.7084	4.3045	4.0475	32.6718
	S	147.120	130.728	126.915	136.311	140.070	140.320	136.538	142.681	137.733
25	T	3.9354	3.2968	4.0999	4.1781	4.0578	4.6964	4.3009	4.0545	32.6198
	S	147.438	131.533	127.054	136.262	140.470	140.678	136.652	142.434	137.953
26	T	3.9449	3.2942	4.0877	4.1636	4.0420	4.6887	4.3026	4.0651	32.5888
	S	147.083	131.636	127.433	136.737	141.019	140.909	136.598	142.063	138.084
27	T	3.9540	3.3082	4.0536	4.1473	4.0377	4.6639	4.2879	4.0400	32.4926
	S	146.744	131.079	128.505	137.274	141.169	141.659	137.066	142.946	138.493
28	T	3.9382	3.2912	4.1017	4.1703	4.0455	4.6985	4.3098	4.0564	32.6116
	S	147.333	131.756	126.998	136.517	140.897	140.615	136.370	142.368	137.988
29	T	3.9518	3.3417	4.0918	4.1653	4.0436	4.6906	4.3005	4.0466	32.6319
	S	146.826	129.765	127.306	136.681	140.963	140.852	136.665	142.712	137.902
30	T	3.9470	3.3278	4.0972	4.1698	4.0547	4.6916	4.2967	4.0384	32.6232
	S	147.005	130.307	127.138	136.534	140.578	140.822	136.786	143.002	137.939
31	T	3.9347	3.3512	4.0905	4.1582	4.0419	4.6943	4.2978	4.0415	32.6101
	S	147.464	129.397	127.346	136.915	141.023	140.741	136.751	142.892	137.994
32	T	3.9335	3.3143	4.1132	4.1599	4.0490	4.7011	4.2788	4.0350	32.5848
	S	147.509	130.838	126.643	136.859	140.776	140.538	137.358	143.123	138.101
33	T	3.9388	3.2845	4.0481	4.1429	4.0428	4.6945	4.2868	4.0312	32.4696
	S	147.311	132.025	128.680	137.420	140.991	140.735	137.102	143.258	138.591
34	T	3.9362	3.2930	4.0832	4.1569	4.0475	4.6970	4.2843	4.0281	32.5262
	S	147.408	131.684	127.574	136.957	140.828	140.660	137.182	143.368	138.350
35	T	3.9237	3.3199	4.0692	4.1518	4.0520	4.6895	4.2760	4.0217	32.5038
	S	147.878	130.617	128.013	137.126	140.671	140.885	137.448	143.596	138.445
36	T	3.9277	3.3033	4.0921	4.1629	4.0548	4.6943	4.2587	4.0194	32.5132
	S	147.727	131.274	127.296	136.760	140.574	140.741	138.006	143.678	138.405
37	T	3.9211	3.2964	4.1026	4.1703	4.0588	4.6985	4.2929	4.0295	32.5701
	S	147.976	131.548	126.970	136.517	140.436	140.615	136.907	143.318	138.164
38	T	3.9333	3.3162	4.0860	4.1684	4.0497	4.7045	4.2625	4.0150	32.5356
	S	147.517	130.763	127.486	136.580	140.751	140.436	137.883	143.836	138.310

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race

August 21, 2021

Section Data for Car 91 - Eves, Braden

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.9172	3.3016	4.0753	4.1613	4.0618	4.7038	4.2743	4.0152	32.5105
	S	148.123	131.341	127.821	136.813	140.332	140.457	137.503	143.828	138.417
40	T	3.9224	3.3108	4.0683	4.1557	4.0566	4.6936	4.2640	4.0159	32.4873
	S	147.927	130.976	128.041	136.997	140.512	140.762	137.835	143.803	138.516
41	T	3.9194	3.2878	4.1001	4.1734	4.0714	4.7111	4.2538	4.0098	32.5268
	S	148.040	131.893	127.048	136.416	140.001	140.239	138.165	144.022	138.347
42	T	3.9123	3.2676	4.0524	4.1584	4.0640	4.7063	4.2557	4.0048	32.4215
	S	148.308	132.708	128.543	136.908	140.256	140.382	138.104	144.202	138.797
43	T	3.9043	3.2787	4.0658	4.1672	4.0707	4.7001	4.2534	4.0134	32.4536
	S	148.612	132.259	128.120	136.619	140.025	140.568	138.178	143.893	138.660
44	T	3.9208	3.2943	4.0973	4.1740	4.0550	4.6954	4.2426	4.0161	32.4955
	S	147.987	131.632	127.135	136.396	140.567	140.708	138.530	143.796	138.481
45	T	3.9160	3.2884	4.0673	4.1576	4.0504	4.6967	4.2538	4.0147	32.4449
	S	148.168	131.868	128.072	136.934	140.727	140.669	138.165	143.846	138.697
46	T	3.9128	3.2521	4.0684	4.1604	4.0476	4.6792	4.2413	4.0080	32.3698
	S	148.290	133.340	128.038	136.842	140.824	141.195	138.572	144.087	139.018
47	T	3.9042	3.2751	4.0804	4.1678	4.0594	4.7033	4.2614	4.0093	32.4609
	S	148.616	132.404	127.661	136.599	140.415	140.472	137.919	144.040	138.628
48	T	3.9070	3.2670	4.0858	4.1645	4.0649	4.7153	4.2680	4.0175	32.4900
	S	148.510	132.732	127.493	136.707	140.225	140.114	137.706	143.746	138.504
49	T	3.9101	3.2689	4.0739	4.1542	4.0671	4.7178	4.2755	4.0211	32.4886
	S	148.392	132.655	127.865	137.046	140.149	140.040	137.464	143.617	138.510
50	T	3.9105	3.3072	4.0895	4.1727	4.0574	4.6943	4.2718	4.0110	32.5144
	S	148.377	131.119	127.377	136.439	140.484	140.741	137.583	143.979	138.400
51	T	3.8988	3.2894	4.0695	4.1633	4.0534	4.6984	4.2571	4.0101	32.4400
	S	148.822	131.828	128.003	136.747	140.623	140.618	138.058	144.011	138.718
52	T	3.8985	3.3010	4.0793	4.1758	4.0513	4.6773	4.2468	4.0033	32.4333
	S	148.833	131.365	127.696	136.338	140.696	141.253	138.393	144.256	138.746
53	T	3.8986	3.2748	4.0769	4.1585	4.0443	4.6875	4.2543	4.0126	32.4075
	S	148.830	132.416	127.771	136.905	140.939	140.945	138.149	143.922	138.857
54	T	3.9142	3.3360	4.1041	4.1698	4.0574	4.7022	4.2601	4.0172	32.5610
	S	148.236	129.987	126.924	136.534	140.484	140.505	137.961	143.757	138.202
55	T	3.9029	3.2802	4.0701	4.1514	4.0548	4.6977	4.2420	4.0060	32.4051
	S	148.666	132.198	127.984	137.139	140.574	140.639	138.550	144.159	138.867
56	T	4.7683	4.3565	5.3612	5.6687	6.5497				
	S	121.684	99.538	97.163	100.432	87.027				

Event: Cooper Tires Indy Pro 2000 of St. Louis

Round 13

Track: World Wide Technology Raceway

1.25 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship






Session: Race

August 21, 2021

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to T1	0.161174 miles
T1 to SS1	0.120455 miles
SS1 to T2	0.144697 miles
T2 to BS	0.158144 miles
BS to T3	0.158333 miles
T3 to SS2	0.183523 miles
SS2 to T4	0.163258 miles
T4 to SF	0.160417 miles
T1 to T2	0.265152 miles
T2 to T3	0.316477 miles
T3 to T4	0.346780 miles
Lap	1.250000 miles
PI to PO	0.297538 miles
PO to SF	1.111553 miles
SF to PI	1.089583 miles
PO to T2	0.287879 miles
T3 to PI	0.346780 miles
PO to PI	0.951136 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

